ELSEVIER

Animal Feed Science and Technology
(2003) 223–238

ANIMAL FEED SCIENCE AND TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Author index

Animal Feed Science and Technology, volumes 101–110, 2002–2003

doi:10.1016/S0377-8401(03)00267-0

A

Abdullah, N., see Pimpa, O., 104 (2003) 191
Abreu, J.M.F., see Bruno-Soares, A.M., 107 (2003) 151
Abreu, J.M.F., see Bruno-Soares, A.M., 107 (2003) 151
Agbagla-Dobnani, A., see Broudiscou, L.P., 105 (2003) 95
Agnew, R.E., see Park, R.S., 102 (2002) 151
Ahvenjärvi, S., see Choi, C.W., 102 (2002) 15
Ajakaiye, A., Atteh, J.O. and Leeson, S., Biological availability of calcium in broiler chicks from different calcium sources found in Nigeria, 104 (2003) 209
Al-Ajmi, D., see Kadim, I.T., 109 (2003) 209
Al-Ani, L., see Zuidhof, M.J., 105 (2003) 225
Al-Halhali, A.S., see Kadim, I.T., 109 (2003) 209
Alomar, D., Fuchslocher, R. and de Pablo, M., Effect of preparation method on composition and NIR spectra of forage samples, 107 (2003) 191
Álvarez Del Pino, M.C., see Hervás, G., 109 (2003) 65
Ammerman, C.B., see Cao, J., 101 (2002) 161
Annamalai, K., see Kadim, I.T., 109 (2003) 209
Arelovich, H.M., Arzadún, M.J., Laborde, H.E. and Vasquez, M.G., Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29
Arigbede, O.M., see Bamikole, M.A., 105 (2003) 71
Arija, I., see Brenes, A., 110 (2003) 201
Arroquy, J.I., see Klevesahl, E.A., 105 (2003) 5
Arvidsson, A., see Lindberg, J.E., 104 (2003) 121
Arzadún, M.J., see Arelovich, H.M., 105 (2003) 29
Aseltine, M.S., see DePeters, E.J., 105 (2003) 109
Ashkarian, V.M., see Farran, M.T., 103 (2003) 171
Aslan, R., see Eryavuz, A., 109 (2003) 35
Atteh, J.O., see Ajakaiye, A., 104 (2003) 209
Attwood, G.T., see Min, B.R., 106 (2003) 3
Aumaitre, A., see Freire, J.P.B., 106 (2003) 119

B

Babayemi, O.J., see Bamikole, M.A., 105 (2003) 71
Bach Knudsen, K.E., see Steenfeldt, S., 110 (2003) 185
Bach, A., see Offner, A., 106 (2003) 81
Bach, S.J., McAllister, T.A., Veira, D.M., Gannon, V.P.J. and Holley, R.A., Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179
Baidoo, S.K., Yang, Q.M. and Walker, R.D., Effects of phytase on apparent digestibility of organic phosphorus and nutrients in maize–soya bean meal based diets for sows, 104 (2003) 133
Balcells, J., see Fondevila, M., 101 (2002) 1
Balcells, J., see Pimpa, O., 104 (2003) 191
Ballard, C.S., see Mandebvu, P., 105 (2003) 81
Ballard, C.S., see Mandebvu, P., 108 (2003) 25
Ballard, C.S., see Uchida, K., 107 (2003) 1
Bamikole, M.A., Babayemi, O.J., Arigbede, O.M. and Ikhatua, U.J., Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71
Barbour, E.K., see Farran, M.T., 103 (2003) 171
BarriosUrdaneta, A., see Fondevila, M., 101 (2002) 1
Barrios-urdaneta, A., see Fondevila, M., 102 (2002) 93
Barry, T.N., see Min, B.R., 106 (2003) 3
Barry, T.N., see Moore, K.M., 104 (2003) 1
Baucells, M.D., see Fondevila, M., 102 (2002) 93
Beauchemin, K.A., see Yang, W.Z., 102 (2002) 137
Becker, K., see Hoffmann, E.M., 106 (2003) 189
Becker, P.M., van Gelder, A.H., van Wikselaar, P.G., Jongbloed, A.W. and Cone, J.W., Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159
Beermann, D.H., see Knaus, W.F., 102 (2002) 3
Behnke, K.C., see DeFrain, J.M., 107 (2003) 75
Bella, M., see Priolo, A., 108 (2003) 215
Belmar, R., see Echeverría, V., 101 (2002) 151
Ben Saïd, M.S., see Ben Salem, H., 110 (2003) 45
Ben Salem, H., Salem, I.B., Nefzaoui, A. and Ben Saïd, M.S., Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45
Bencini, R., see Kitessa, S.M., 108 (2003) 1
Bernard Luchansky, J., see Piva, A., 106 (2003) 149
Beynen, A.C., see Lee, K.-W., 106 (2003) 219
Bhat, M.K., see Colombatto, D., 107 (2003) 201
Bhatta, R., Shinde, A.K., Vaithiyanathan, S., Sankhyan, S.K. and Verma, D.L., Effect of polyethylene glycol-6000 on nutrient intake, digestion and growth of kids browsing *Prosopis cineraria*, 101 (2002) 45
Biagi, G., see Piva, A., 106 (2003) 149
Biesalski, H.K., see Zimmermann, B., 104 (2003) 143
Black, B., see Pluske, J.R., 107 (2003) 129
Blake, D.P., Hillman, K. and Fenlon, D.R., The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous

porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123
Blas, E., see Villamide, M.J., 109 (2003) 195
Block, E., see Mandebvu, P., 108 (2003) 25
Boccalon, S., see Spanghero, M., 104 (2003) 201
Boer, H., see Elgersma, A., 108 (2003) 191
Bogaert, C., see Bravo, D., 108 (2003) 43
Boros, D., Marquardt, R.R., Guenter, W. and Brufau, J., Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135
Borreani, G., see Valente, M.E., 108 (2003) 181
Boswall, A.L., see Zaman, M.S., 103 (2003) 163
Bravo, C., see Brenes, A., 110 (2003) 201
Bravo, D., Meschy, F., Bogaert, C. and Sauvant, D., Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43
Brenes, A., Viveros, A., Arija, I., Centeno, C., Pizarro, M. and Bravo, C., The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201
Broudiscou, A.F., see Broudiscou, L.-P., 101 (2002) 183
Broudiscou, A.F., see Broudiscou, L.P., 105 (2003) 95
Broudiscou, L.P., Agbagla-Dobnani, A., Papon, Y., Cornu, A., Grenet, E. and Broudiscou, A.F., Rice straw degradation and biomass synthesis by rumen micro-organisms in continuous culture in response to ammonia treatment and legume extract supplementation, 105 (2003) 95
Broudiscou, L.-P., Papon, Y. and Broudiscou, A.F., Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter, 101 (2002) 183
Brown, W., see Twomey, L.N., 108 (2003) 61
Brown, W., see Twomey, L.N., 108 (2003) 71
Brown, W., see Twomey, L.N., 108 (2003) 83
Brufau, J., see Boros, D., 101 (2002) 135
Bruno-Soares, A.M. and Abreu, J.M.F., Merit of *Gleditsia triacanthos* pods in animal feeding. Chemical composition and nutritional evaluation, 107 (2003) 151
Buraczewska, L., see Pastuszewska, B., 106 (2003) 175

C

Calsamiglia, S., see Woods, V.B., 110 (2003) 145
Cameron, D.J., see Moore, K.M., 104 (2003) 1
Cameron, P.N., see Moore, K.M., 104 (2003) 1
Cannas, A., Van Soest, P.J. and Pell, A.N., Use of animal and dietary information to predict rumen turnover, 106 (2003) 95
Cao, J., Henry, P.R., Davis, S.R., Cousins, R.J., Miles, R.D., Littell, R.C. and Ammerman, C.B., Relative bioavailability of organic zinc sources based on tissue zinc and metallothionein in chicks fed conventional dietary zinc concentrations, 101 (2002) 161
Capetillo-Leal, C., see Sandoval-Castro, C.A., 101 (2002) 191
Carabaño, R., see Xiccato, G., 104 (2003) 153
Caredda, S., see Valente, M.E., 108 (2003) 181
Carlson, D. and Poulsen, H.D., Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking, heat treatment, phytase activity, pH and temperature, 103 (2003) 141
Carneiro, D.J., see Vidotti, R.M., 105 (2003) 199
Carpino, S., Licitra, G. and Van Soest, P.J., Selection of forage species by dairy cattle on complex Sicilian pasture, 105 (2003) 205
Carter, M.P., see Mandebvu, P., 108 (2003) 25
Carter, M.P., see Uchida, K., 107 (2003) 1
Carulla, J.E., see Hess, H.D., 109 (2003) 79
Castellani, G., see Piva, A., 106 (2003) 149
Castrillo, C., see Fondevila, M., 101 (2002) 1
Cavallarin, L., see Valente, M.E., 108 (2003) 181
Centeno, C., see Brenes, A., 110 (2003) 201
Cervera, C., see Villamide, M.J., 109 (2003) 195
Cetina-Góngora, R., see Sandoval-Castro, C.A., 101 (2002) 191
Chakeredza, S., see Ginting-Moenthe, U., 102 (2002) 217
Chiou, P.W.-S., see Yu, B., 102 (2002) 35
Choct, M., see Twomey, L.N., 108 (2003) 61
Choct, M., see Twomey, L.N., 108 (2003) 71
Choct, M., see Twomey, L.N., 108 (2003) 83
Choi, C.W., Vanhatalo, A., Ahvenjärvi, S. and Huhtanen, P., Effects of several protein supplements on flow of soluble non-ammonia nitrogen from the forestomach and milk production in dairy cows, 102 (2002) 15
Christensen, D.A., see Yu, P., 107 (2003) 45
Çiftci, İ., Yenice, E. and Eleroglu, H., Use of triticale alone and in combination with wheat or maize: effects of diet type and enzyme supplementation on hen performance, egg quality, organ weights, intestinal viscosity and digestive system characteristics, 105 (2003) 149
Ciocca, M.L.S., see Kozloski, G.V., 104 (2003) 29
Clark, J.H., see Ipharraguerre, I.R., 106 (2003) 39
Classen, H.L., see Newkirk, R.W., 104 (2003) 111
Coblentz, W.K., see Galdámez-Cabrera, N.W., 105 (2003) 185

Coblentz, W.K., see McBeth, L.J., 108 (2003) 147
Coblentz, W.K., see Turner, J.E., 109 (2003) 47
Cochran, R.C., see Klevesahl, E.A., 105 (2003) 5
Coffey, K.P., see Galdámez-Cabrera, N.W., 105 (2003) 185
Coffey, K.P., see McBeth, L.J., 108 (2003) 147
Coffey, K.P., see Turner, J.E., 109 (2003) 47
Colombatto, D., Mould, F.L., Bhat, M.K. and Owen, E., Use of fibrolytic enzymes to improve the nutritive value of ruminant diets. A biochemical and in vitro rumen degradation assessment, 107 (2003) 201
Cone, J.W., see Becker, P.M., 110 (2003) 159
Coors, J.G., see Schwab, E.C., 109 (2003) 1
Cornu, A., see Broudiscou, L.P., 105 (2003) 95
Cousins, R.J., see Cao, J., 101 (2002) 161
Cravener, T.L., see Roush, W.B., 102 (2002) 225
Crovetto, G.M., see Getachew, G., 102 (2002) 169
Cunha, L.F., see Freire, J.P.B., 106 (2003) 119
Curnow, J., see Glencross, B., 107 (2003) 117
Czajkowski, M., see Knaus, W.F., 102 (2002) 3

D

Dakowski, P., see Pastuszewska, B., 106 (2003) 175
Dale, B.E., see Weimer, P.J., 103 (2003) 41
Daniels, M.B., see Galdámez-Cabrera, N.W., 105 (2003) 185
Danneels, M., see Fievez, V., 104 (2003) 41
Davies, D.R., see Lee, M.R.F., 104 (2003) 59
Davis, S.R., see Cao, J., 101 (2002) 161
Díaz, T.E., see Hess, H.D., 109 (2003) 79
De Boever, J.L., see Xiccato, G., 104 (2003) 153
De Boever, J.L., Vanacker, J.M. and De Brabander, D.L., Rumen degradation characteristics of nutrients in maize silages and evaluation of laboratory measurements and NIRS as predictors, 101 (2002) 73
De Boever, J.L., Vanacker, J.M. and De Brabander, D.L., Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors, 107 (2003) 29
De Brabander, D.L., see De Boever, J.L., 101 (2002) 73
De Brabander, D.L., see De Boever, J.L., 107 (2003) 29
de Ondarza, M.B. and Sniffen, C.J., A new method to estimate microbial nitrogen escape from the rumen of the dairy cow, 101 (2002) 201
de Pablo, M., see Alomar, D., 107 (2003) 191
De, D. and Singh, G.P., Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51
Decuypere, J.A., see Dierick, N.A., 102 (2002) 53
DeFrain, J.M., Shirley, J.E., Behnke, K.C., Titgemeyer, E.C. and Ethington, R.T., Development and evaluation of a pelleted feedstuff containing condensed corn steep liquor and raw soybean hulls for dairy cattle diets, 107 (2003) 75
Demeyer, D., see Fievez, V., 104 (2003) 41
DePeters, E.J., Getachew, G., Fadel, J.G., Zinn, R.A., Taylor, S.J., Pareas, J.W., Hinders, R.G. and Aseltine, M.S., In vitro gas production as a method to compare fermentation characteristics of steam-flaked corn, 105 (2003) 109
Dhiman, T.R., Zaman, M.S., Gimenez, R.R., Walters, J.L. and Treacher, R., Performance of dairy cows fed forage treated with fibrolytic enzymes prior to feeding, 101 (2002) 115
Dias, R.I.M., see Freire, J.P.B., 106 (2003) 119
Dierick, N.A. and Decuypere, J.A., Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53
Dixon, R.M., Hosking, B.J. and Egan, A.R., Effects of oilseed meal and grain-urea supplements fed infrequently on digestion in sheep. 1. Low quality grass hay diets, 110 (2003) 75
Dixon, R.M., Karda, W., Hosking, B.J. and Egan, A.R., Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95
Djouvinov, D.S., see Webster, A.J.F., 105 (2003) 123
Dohme, F., see Fievez, V., 104 (2003) 41
Dorton, K.L., Engle, T.E., Hamar, D.W., Siciliano, P.D. and Yemm, R.S., Effects of copper source and concentration on copper status and immune function in growing and finishing steers, 110 (2003) 31
Drochner, W., see Zacharias, B., 106 (2003) 139
Drochner, W., see Zimmermann, B., 104 (2003) 143
Drouillard, J.S., see Trater, A.M., 107 (2003) 173
Dryden, G. McL., see Granzin, B.C., 103 (2003) 113
Dündar, Y., see Eryavuz, A., 109 (2003) 35
Dung, N.N.X., Manh, L.H. and Udén, P., Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109
Dutta, N., see Patra, A.K., 109 (2003) 171

E

Echeverría, V., Belmar, R., Ly, J. and Santos-Ricalde, R.H., Effect of *Leucaena leucocephala* leaf meal treated with acetic acid or sodium hydroxide on apparent digestibility and nitrogen retention in pig diets, 101 (2002) 151
Edney, M.J., see Newkirk, R.W., 104 (2003) 111
Egan, A.R., see Dixon, R.M., 110 (2003) 75
Egan, A.R., see Dixon, R.M., 110 (2003) 95
Ekelund, A., Spörndly, R., Valk, H. and Murphy, M., Influence of feeding various phosphorus sources on apparent digestibility of phosphorus in dairy cows, 109 (2003) 95
Eleroglu, H., see Çiftci, İ., 105 (2003) 149
Elgersma, A., Ellen, G., van der Horst, H., Muuse, B.G., Boer, H. and Tamminga, S., Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (*Lolium perenne* L.), affected by cultivar and regrowth interval, 108 (2003) 191
Ellen, G., see Elgersma, A., 108 (2003) 191
Elwinger, K., see Waldenstedt, L., 108 (2003) 119
Engle, T.E., see Dorton, K.L., 110 (2003) 31
Enting, H., see Weurding, R.E., 110 (2003) 175
Erener, G., Ocak, N., Ozturk, E. and Ozdas, A., Effect of different choice feeding methods based on whole wheat on performance of male broiler chickens, 106 (2003) 131
Eryavuz, A., Dündar, Y., Ozdemir, M., Aslan, R. and Tekerli, M., Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35
Ethington, R.T., see DeFrain, J.M., 107 (2003) 75
Everts, H., see Lee, K.-W., 106 (2003) 219
Everts, H., see Šebek, L.B.J., 101 (2002) 17

F

Fadel, J.G., see DePeters, E.J., 105 (2003) 109
Falcao-E-Cunha, L., see Xiccato, G., 104 (2003) 153
Farmer, C.G., see Klevesahl, E.A., 105 (2003) 5
Farran, M.T., Barbour, E.K. and Ashkarian, V.M., Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine, 103 (2003) 171
Fasone, V., see Priolo, A., 108 (2003) 215
Feldmann, J., see Hansen, H.R., 105 (2003) 21
Fenlon, D.R., see Blake, D.P., 103 (2003) 123
Fievez, V., Dohme, F., Danneels, M., Raes, K. and Demeyer, D., Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo, 104 (2003) 41
Filacorda, S., see Haddi, M.-L., 104 (2003) 215
Filya, I., Nutritive value of whole crop wheat silage harvested at three stages of maturity, 103 (2003) 85
Flachowsky, G., see Matthé, A., 103 (2003) 15
Fondevila, M., BarriosUrdaneta, A., Balcells, J. and Castrillo, C., Gas production from straw incubated in vitro with different leve' of purified carbohydrates, 101 (2002) 1
Fondevila, M., Morales, J., Pérez, J.F., Barrios-urdaneta, A. and Baucells, M.D., Microbial caecal fermentation in Iberic or Landrace pigs given acorn/sorghum or maize diets estimated in vitro using the gas production technique, 102 (2002) 93
Fondevila, M., see Getachew, G., 102 (2002) 169
Fontaínhas-Fernandes, A., see Pereira, O., 101 (2002) 171
Fox, D.G., see Knaus, W.F., 102 (2002) 3
Francesco, M., see Rossi, F., 108 (2003) 223
Freire, J.P.B., Dias, R.I.M., Cunha, L.F. and Aumaitre, A., The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119
Frutos, P., see Hervás, G., 109 (2003) 65
Fuchslocher, R., see Alomar, D., 107 (2003) 191
Fujihara, T., see Shem, M.N., 108 (2003) 15

G

Galdámez-Cabrera, N.W., Coffey, K.P., Coblentz, W.K., Turner, J.E., Scarbrough, D.A., Johnson, Z.B., Gunsaulis, J.L., Daniels, M.B. and Hellwig, D.H., In situ ruminal degradation of dry matter and fiber from bermudagrass fertilized with different nitrogen rates and harvested on two dates, 105 (2003) 185
Galofaro, V., see Priolo, A., 108 (2003) 215
Gannon, V.P.J., see Bach, S.J., 104 (2003) 179
García, J., see Villamide, M.J., 109 (2003) 195
Getachew, G., Crovetto, G.M., Fondevila, M., Krishnamoorthy, U., Singh, B., Spanghero, M.,

Steingass, H., Robinson, P.H. and Kailas, M.M., Laboratory variation of 24 h in vitro gas production and estimated metabolizable energy values of ruminant feeds, 102 (2002) 169
Getachew, G., see DePeters, E.J., 105 (2003) 109
Gianfranco, P., see Rossi, F., 108 (2003) 223
Gidenne, T., see Xiccato, G., 104 (2003) 153
Gimenez, R.R., see Dhiman, T.R., 101 (2002) 115
Ginting-Moenthe, U., Chakeredza, S. and ter Meulen, U., The influence of fermented putak on diet digestibility and growth performance of weanling pigs, 102 (2002) 217
Giovanna, C., see Rossi, F., 108 (2003) 223
Giri, S.S., Sahoo, S.K., Sahu, A.K. and Meher, P.K., Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169
Givens, D.I., see Rymer, C., 101 (2002) 31
Glen, E.F., see Webster, A.J.F., 105 (2003) 123
Glencross, B., Curnow, J. and Hawkins, W., Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117
Gong, L.M., see Wang, J.F., 104 (2003) 95
González, E., see Steenfeldt, S., 110 (2003) 185
Goonewardene, L.A., see Zuidhof, M.J., 105 (2003) 225
Goulas, C., Zervas, G. and Papadopoulos, G., Effect of dietary animal fat and methionine on dairy ewes milk yield and milk composition, 105 (2003) 43
Gracco, L., see Spanghero, M., 104 (2003) 201
Grande, D., see Nahed, J., 106 (2003) 209
Granzin, B.C. and Dryden, G. McL., Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass (*Chloris gayana* cv. Callide), 103 (2003) 113
Grenet, E., see Broudiscou, L.P., 105 (2003) 95
Gruber, L., see Spanghero, M., 104 (2003) 201
Gu, X. and Li, D., Fat nutrition and metabolism in piglets: a review, 109 (2003) 151
Guenter, W., see Boros, D., 101 (2002) 135
Gullord, M., see Svihus, B., 102 (2002) 71
Gunsaulis, J.L., see Galdámez-Cabrera, N.W., 105 (2003) 185
Guo, Y., Zhang, G., Yuan, J. and Nie, W., Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

H

Haddi, M.-L., Filacorda, S., Meniai, K., Rollin, F. and Susmel, P., In vitro fermentation kinetics of some halophyte shrubs sampled at three stages of maturity, 104 (2003) 215
Halachmi, I., see Miron, J., 106 (2003) 20
Hall, G., see Köse, S., 107 (2003) 161
Hamar, D.W., see Dorton, K.L., 110 (2003) 31
Hampson, D.J., see Montagne, L., 108 (2003) 95
Hampson, D.J., see Pluske, J.R., 107 (2003) 129
Hansen, H.R., Hector, B.L. and Feldmann, J., A qualitative and quantitative evaluation of the seaweed diet of North Ronaldsay sheep, 105 (2003) 21
Hansson, I., see Waldenstedt, L., 108 (2003) 119
Harmon, D.L., see Yamka, R.M., 109 (2003) 121
Harstad, O.M., see Ljøkjel, K., 107 (2003) 87
Harstad, O.M., see Ljøkjel, K., 107 (2003) 105
Hawkins, W., see Glencross, B., 107 (2003) 117
Hector, B.L., see Hansen, H.R., 105 (2003) 21
Hellämäki, M., see Nousiainen, J., 103 (2003) 97
Hellämäki, M., see Nousiainen, J., 110 (2003) 61
Hellwig, D.H., see Galdámez-Cabrera, N.W., 105 (2003) 185
Hellwig, D.H., see McBeth, L.J., 108 (2003) 147
Henry, P.R., see Cao, J., 101 (2002) 161
Herbein, J.H., see Loor, J.J., 103 (2003) 63
Herbein, J.H., see Loor, J.J., 109 (2003) 105
Herstad, O., see Skrede, G., 105 (2003) 135
Hervás, G., Frutos, P., Javier Giráldez, F., Mantecón, Á.R. and Álvarez Del Pino, M.C., Effect of different doses of quebracho tannins extract on rumen fermentation in ewes, 109 (2003) 65
Hess, H.D., Kreuzer, M., Díaz, T.E., Lascano, C.E., Carulla, J.E., Soliva, C.R. and Machmüller, A., Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79
Hill, J. and Leaver, J.D., Changes in chemical composition and nutritive value of urea treated whole crop wheat during exposure to air, 102 (2002) 181
Hillman, K., see Blake, D.P., 103 (2003) 123
Hinders, R.G., see DePeters, E.J., 105 (2003) 109
Hodgkinson, S.M. and Moughan, P.J., The enzyme hydrolysed protein method for the determination of endogenous ileal nitrogen and amino acid flows—a modification, 108 (2003) 207
Hoffmann, E.M., Muetzel, S. and Becker, K., The fermentation of soybean meal by rumen microbes in vitro reveals different kinetic features

for the inactivation and the degradation of trypsin inhibitor protein, 106 (2003) 189
Holck, A., see Skrede, G., 105 (2003) 135
Holley, R.A., see Bach, S.J., 104 (2003) 179
Homolka, P., see Třináctý, J., 106 (2003) 59
Hosking, B.J., see Dixon, R.M., 110 (2003) 75
Hosking, B.J., see Dixon, R.M., 110 (2003) 95
Hric, I., see Matthé, A., 103 (2003) 15
Hristov, A.N., Ivan, M., Neill, L. and McAllister, T.A., Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163
Huhtanen, P., see Choi, C.W., 102 (2002) 15
Huhtanen, P., see Nousiainen, J., 103 (2003) 97
Huhtanen, P., see Nousiainen, J., 110 (2003) 61
Humphreys, M.O., see Lee, M.R.F., 104 (2003) 59
Hvelplund, T., see Mlay, P.S., 109 (2003) 19
Hvelplund, T., see Tothi, R., 104 (2003) 71

I

Ichinohe, T., see Shem, M.N., 108 (2003) 15
Ikhatua, U.J., see Bamikole, M.A., 105 (2003) 71
Inborr, J., see Waldenstedt, L., 108 (2003) 119
Ipharraguerre, I.R. and Clark, J.H., Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39
Ivan, M., see Hristov, A.N., 105 (2003) 163

J

Jablecki, G., see Pastuszewska, B., 106 (2003) 175
Jakobsen, K., see Wang, J.F., 104 (2003) 95
Jakobsen, M., see Mikkelsen, L.L., 109 (2003) 133
Janardhana Reddy, T., see Ramana Reddy, Y., 106 (2003) 29
Jamikorn, U., see Yamka, R.M., 109 (2003) 121
Javier Giráldez, F., see Hervás, G., 109 (2003) 65
Jelan, Z.A., see Pimpa, O., 104 (2003) 191
Jensen, B.B., see Mikkelsen, L.L., 109 (2003) 133
Jensen, B.B., see Wang, J.F., 102 (2002) 125
Jensen, B.B., see Wang, J.F., 104 (2003) 95
Johnson, D.E., see Klevesahl, E.A., 105 (2003) 5
Johnson, E.H., see Kadim, I.T., 109 (2003) 209
Johnson, Z.B., see Galdámez-Cabrera, N.W., 105 (2003) 185
Johnson, Z.B., see Turner, J.E., 109 (2003) 47
Jongbloed, A.W., see Becker, P.M., 110 (2003) 159
Jovanovic, N.J., see Volkers, K.C., 109 (2003) 183
Jørgensen, H., see Wang, J.F., 102 (2002) 125
Jung, H.-J.G. and Lamb, J.F.S., Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

K

Kadim, I.T., Johnson, E.H., Mahgoub, O., Srikandakumar, A., Al-Ajmi, D., Ritchie, A., Annamalai, K. and Al-Halhali, A.S., Effect of low levels of dietary cobalt on apparent nutrient digestibility in Omani goats, 109 (2003) 209
Kailas, M.M., see Getachew, G., 102 (2002) 169
Kalač, P., see Steidlová, Š., 102 (2002) 197
Kappert, H.J., see Lee, K.-W., 106 (2003) 219
Karda, W., see Dixon, R.M., 110 (2003) 95
Karim, S.A., see Santra, A., 101 (2002) 87
Kawai, M., see Yahaya, M.S., 101 (2002) 127
Kaya, S., see Webster, A.J.F., 105 (2003) 123
Kellogg, D.W., see Turner, J.E., 109 (2003) 47
Khan, B.A., see Zuidhof, M.J., 105 (2003) 225
Kilpatrick, D.J., see Park, R.S., 102 (2002) 151
Kitcherside, M.A., see Webster, A.J.F., 105 (2003) 123
Kitessa, S.M., Peake, D., Bencini, R. and Williams, A.J., Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1
Klasing, K.C., see Ribeiro, A.M.L., 103 (2003) 155
Klevesahl, E.A., Cochran, R.C., Titgemeyer, E.C., Wickersham, T.A., Farmer, C.G., Arroquy, J.I. and Johnson, D.E., Effect of a wide range in the ratio of supplemental rumen degradable protein to starch on utilization of low-quality, grass hay by beef steers, 105 (2003) 5
Knaus, W.F., Beermann, D.H., Tedeschi, L.O., Czajkowski, M., Fox, D.G. and Russell, J.B., Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3
Knox, A., see Wilkinson, J.M., 105 (2003) 215
Kobayashi, Y., see Pan, J., 104 (2003) 13
Kobayashi, Y., see Pan, J., 106 (2003) 69
Kobayashi, Y., see Selim, A.S.M., 102 (2002) 207
Koike, S., see Pan, J., 104 (2003) 13
Koike, S., see Pan, J., 106 (2003) 69
Köse, S., Quantick, P. and Hall, G., Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Kozloski, G.V., Perottoni, J., Ciocca, M.L.S., Rocha, J.B.T., Raiser, A.G. and Sanchez, L.M.B., Potential nutritional assessment of dwarf elephant grass (*Pennisetum purpureum* Schum. cv. Mott) by chemical composition, digestion and net portal flux of oxygen in cattle, 104 (2003) 29
Kreuzer, M., see Hess, H.D., 109 (2003) 79
Kreuzer, M., see Śliwiński, B.J., 101 (2002) 101
Krishna, N., see Ramana Reddy, Y., 106 (2003) 29
Krishnamoorthy, U., see Getachew, G., 102 (2002) 169

L

Laborde, H.E., see Arelovich, H.M., 105 (2003) 29
Lamb, J.F.S., see Jung, H.-J.G., 110 (2003) 17
Lantzsch, H.-J., see Zimmermann, B., 104 (2003) 143
Lanza, M., see Priolo, A., 108 (2003) 215
Lascano, C.E., see Hess, H.D., 109 (2003) 79
Lauer, J.G., see Schwab, E.C., 109 (2003) 1
Le Guen, M.P., see Rémond, D., 105 (2003) 55
Leaver, J.D., see Hill, J., 102 (2002) 181
Lebzien, P., see Matthé, A., 103 (2003) 15
Lee, K.-W., Everts, H., Lankhorst, -ionone to the diet fails to affect growth performance in female broiler chickens, 106 (2003) 219
Lee, M.R.F., Merry, R.J., Davies, D.R., Moorby, J.M., Humphreys, M.O., Theodorou, M.K., MacRae, J.C. and Scollan, N.D., Effect of increasing availability of water-soluble carbohydrates on in vitro rumen fermentation, 104 (2003) 59
Leeson, S., see Ajakaiye, A., 104 (2003) 209
Le Guen, M.P., see Rémond, D., 105 (2003) 55
Li, D., see Gu, X., 109 (2003) 151
Li, D.F., see Wang, J.F., 102 (2002) 125
Li, D.F., see Wang, J.F., 104 (2003) 95
Liang, J.B., see Pimpa, O., 104 (2003) 191
Licitra, G., see Carpino, S., 105 (2003) 205
Lin, X., see Loor, J.J., 109 (2003) 105
Lindberg, J.E., Arvidsson, A. and Wang, J., Influence of naked barley cultivar with normal, amylose-rich or amylopectin-rich starch and enzyme supplementation on digestibility and piglet performance, 104 (2003) 121
Lindberg, J.E., see Wang, J.F., 102 (2002) 125
Littell, R.C., see Cao, J., 101 (2002) 161
Ljøkjel, K., Harstad, O.M., Prestløkken, E. and Skrede, A., In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 87
Ljøkjel, K., Harstad, O.M., Prestløkken, E. and Skrede, A., In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 105
Loges, R., see Volkers, K.C., 109 (2003) 183
Loor, J.J. and Herbein, J.H., Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows, 103 (2003) 63
Loor, J.J., Soriano, F.D., Lin, X., Herbein, J.H. and Polan, C.E., Grazing allowance after the morning or afternoon milking for lactating cows fed a total mixed ration (TMR) enhances *trans*11-18:1 and *cis*9,*trans*11-18:2 (rumenic acid) in milk fat to different extents, 109 (2003) 105
Lopez-Villalobos, N., see Moore, K.M., 104 (2003) 1
Luaga, M., see Shem, M.N., 108 (2003) 15
Lund, P., see Tothi, R., 104 (2003) 71
Ly, J., see Echeverría, V., 101 (2002) 151

M

Machmüller, A., see Hess, H.D., 109 (2003) 79
Machmüller, A., see Śliwiński, B.J., 101 (2002) 101
Mackie, R.I., see Smith, A.H., 106 (2003) 165
MacRae, J.C., see Lee, M.R.F., 104 (2003) 59
Madsen, J., see Mlay, P.S., 109 (2003) 19
Maertens, L., see Villamide, M.J., 109 (2003) 195
Maertens, L., see Xiccato, G., 104 (2003) 153
Mahgoub, O., see Kadim, I.T., 109 (2003) 209
Maltz, E., see Miron, J., 106 (2003) 20
Mandebvu, P., see Uchida, K., 107 (2003) 1
Mandebvu, P., Ballard, C.S., Sniffen, C.J., Carter, M.P., Wolford, H.M., Sato, T., Yabuuchi, Y., Block, E. and Palmquist, D.L., Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters, 108 (2003) 25
Manh, L.H., see Dung, N.N.X., 102 (2002) 109
Mantecón, Á.R., see Hervás, G., 109 (2003) 65
Marquardt, R.R., see Boros, D., 101 (2002) 135
Martín, García A.I. see Molina Alcaide, E., 110 (2003) 3

Martín García, A.I., Moumen, A., Yáñez Ruiz, D.R. and Molina Alcaide, E., Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves, 107 (2003) 61
Matsui, T., see Park, W.-Y., 101 (2002) 55
Matsuoka, S., see Yahaya, M.S., 101 (2002) 127
Matthé, A., Lebzien, P., Hric, I. and Flachowsky, G., Influence of prolonged adaptation periods on starch degradation in the digestive tract of dairy cows, 103 (2003) 15
Matyjek, R., see Pastuszewska, B., 106 (2003) 175
Maurizio, M., see Rossi, F., 108 (2003) 223
McAllister, T.A., see Bach, S.J., 104 (2003) 179
McAllister, T.A., see Hristov, A.N., 105 (2003) 163
McBeth, L.J., Coffey, K.P., Coblentz, W.K., Hellwig, D.H., Turner, J.E. and Scarbrough, D.A., Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147
McConnell, M.F., see Twomey, L.N., 108 (2003) 71
McCracken, K.J., see Wilkinson, J.M., 105 (2003) 215
McKinnon, J.J., see Yu, P., 107 (2003) 45
McNab, J., see Wilkinson, J.M., 105 (2003) 215
McNabb, W.C., see Min, B.R., 106 (2003) 3
McSweeney, C.S., see Smith, A.H., 106 (2003) 165
Meher, P.K., see Giri, S.S., 104 (2003) 169
Meier, J.A., see Yu, P., 107 (2003) 45
Melaku, S., Peters, K.J. and Tegegne, A., In vitro and in situ evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw, 108 (2003) 159
Mendoza, G., see Nahed, J., 106 (2003) 209
Meniai, K., see Haddi, M.-L., 104 (2003) 215
Meola, E., see Piva, A., 106 (2003) 149
Merry, R.J., see Lee, M.R.F., 104 (2003) 59
Mertens, D.R., see Weimer, P.J., 103 (2003) 41
Meschy, F., see Bravo, D., 108 (2003) 43
Mikkelsen, L.L., Jakobsen, M. and Jensen, B.B., Effects of dietary oligosaccharides on microbial diversity and fructo-oligosaccharide degrading bacteria in faeces of piglets post-weaning, 109 (2003) 133
Miles, R.D., see Cao, J., 101 (2002) 161
Miller, H.M., see Wilkinson, J.M., 105 (2003) 215
Min, B.R., Barry, T.N., Attwood, G.T. and McNabb, W.C., The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review, 106 (2003) 3
Mir, Z., see Zaman, M.S., 103 (2003) 163
Mireles, A.J., see Ribeiro, A.M.L., 103 (2003) 155
Mirkena, T., see Tolla, N., 103 (2003) 29
Miron, J., Yosef, E., Maltz, E. and Halachmi, I., Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21
Miyoshi, S., see Mandebvu, P., 105 (2003) 81
Mlay, P.S., Pereka, A.E., Weisbjerg, M.R., Hvelplund, T. and Madsen, J., Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19
Molina Alcaide, E., Yáñez Ruiz, D.R., Moumen, A. and Martín García, A.I., Ruminal degradability and in vitro intestinal digestibility of sunflower meal and in vitro digestibility of olive by-products supplemented with urea or sunflower meal. Comparison between goats and sheep, 110 (2003) 3
Molina Alcaide, E., see Martín García, A.I., 107 (2003) 61
Molnar, C.L., see Zuidhof, M.J., 105 (2003) 225
Moloney, A.P., see Woods, V.B., 110 (2003) 111
Moloney, A.P., see Woods, V.B., 110 (2003) 131
Moloney, A.P., see Woods, V.B., 110 (2003) 145
Montagne, L., Pluske, J.R. and Hampson, D.J., A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95
Moorby, J.M., see Lee, M.R.F., 104 (2003) 59
Moore, K.M., Barry, T.N., Cameron, P.N., Lopez-Villalobos, N. and Cameron, D.J., Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions, 104 (2003) 1
Morales, J., see Fondevila, M., 102 (2002) 93
Mordenti, A., see Piva, A., 106 (2003) 149
Mordenti, A.L., see Piva, A., 106 (2003) 149
Morley, F.M., see Zuidhof, M.J., 105 (2003) 225
Mosenthin, R., see Zimmermann, B., 104 (2003) 143
Moughan, P.J., see Hodgkinson, S.M., 108 (2003) 207
Mould, F.L., see Colombatto, D., 107 (2003) 201
Moumen, A., see Martín García, A.I., 107 (2003) 61
Moumen, A., see Molina Alcaide, E., 110 (2003) 3
Moyer, J.R., see Zaman, M.S., 103 (2003) 163
Mtengeti, E.J., see Shem, M.N., 108 (2003) 15
Muetzel, S., see Hoffmann, E.M., 106 (2003) 189
Mullan, B.P., see Pluske, J.R., 107 (2003) 129
Murphy, M., see Ekelund, A., 109 (2003) 95
Muuse, B.G., see Elgersma, A., 108 (2003) 191

N

Nagalakshmi, D., Sastry, V.R.B. and Pawde, A., Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets, 103 (2003) 1
Nahed, J., Solís, C., Grande, D., Sanginés, L., Mendoza, G. and Pérez-Gil, F., Evaluation of the use of *Buddleia skutchii* tree leaves and Kikuyu (*Pennisetum clandestinum*) grass hay in sheep feeding, 106 (2003) 209
Nefzaoui, A., see Ben Salem, H., 110 (2003) 45
Neill, L., see Hristov, A.N., 105 (2003) 163
Newkirk, R.W., Classen, H.L. and Edney, M.J., Effects of prepress-solvent extraction on the nutritional value of canola meal for broiler chickens, 104 (2003) 111
Nie, W., see Guo, Y., 107 (2003) 143
Nousiainen, J., Rinne, M., Hellämäki, M. and Huhtanen, P., Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97
Nousiainen, J., Rinne, M., Hellämäki, M. and Huhtanen, P., Prediction of the digestibility of primary growth and regrowth grass silages from chemical composition, pepsin-cellulase solubility and indigestible cell wall content, 110 (2003) 61

O

Ocak, N., see Erener, G., 106 (2003) 131
Ochtabińska, A., see Pastuszewska, B., 106 (2003) 175
Odenyo, A.A., see Smith, A.H., 106 (2003) 165
Offner, A., Bach, A. and Sauvant, D., Quantitative review of in situ starch degradation in the rumen, 106 (2003) 81
Okubo, M., see Pan, J., 104 (2003) 13
Okubo, M., see Pan, J., 106 (2003) 69
O'Mara, F.P., see Woods, V.B., 110 (2003) 111
O'Mara, F.P., see Woods, V.B., 110 (2003) 131
O'Mara, F.P., see Woods, V.B., 110 (2003) 145
Ott, H., see Zacharias, B., 106 (2003) 139
Owen, E., see Colombatto, D., 107 (2003) 201
Ozdas, A., see Erener, G., 106 (2003) 131
Ozdemir, M., see Eryavuz, A., 109 (2003) 35
Ozturk, E., see Erener, G., 106 (2003) 131

P

Palmquist, D.L., see Mandebvu, P., 108 (2003) 25
Pan, J., Koike, S., Suzuki, T., Ueda, K., Kobayashi, Y., Tanaka, K. and Okubo, M., Effect of mastication on degradation of orchardgrass hay stem by rumen microbes: fibrolytic enzyme activities and microbial attachment, 106 (2003) 69
Pan, J., see Selim, A.S.M., 102 (2002) 207
Pan, J., Suzuki, T., Koike, S., Ueda, K., Kobayashi, Y., Tanaka, K. and Okubo, M., Effects of urea infused into the rumen on liquid- and particle-associated fibrolytic enzyme activities in steers fed low quality grass hay, 104 (2003) 13
Panda, A.K., see Rama Rao, S.V., 106 (2003) 199
Paolo Gatta, P., see Piva, A., 106 (2003) 149
Papadopoulos, G., see Goulas, C., 105 (2003) 43
Papon, Y., see Broudiscou, L.-P., 101 (2002) 183
Papon, Y., see Broudiscou, L.P., 105 (2003) 95
Pareas, J.W., see DePeters, E.J., 105 (2003) 109
Park, R.S., Agnew, R.E. and Kilpatrick, D.J., The effect of freezing and thawing on grass silage quality predictions based on near infrared reflectance spectroscopy, 102 (2002) 151
Park, W.-Y., Matsui, T. and Yano, H., Post-ruminal phytate degradation in sheep, 101 (2002) 55
Pascual, J.J., see Xiccato, G., 104 (2003) 153
Pastuszewska, B., Jablecki, G., Buraczewska, L., Dakowski, P., Taciak, M., Matyjek, R. and Ochtabińska, A., The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175
Patra, A.K., Sharma, K., Dutta, N. and Pattanaik, A.K., Response of gravid does to partial replacement of dietary protein by a leaf meal mixture of *Leucaena leucocephala*, *Morus alba* and *Azadirachta indica*, 109 (2003) 171
Pattanaik, A.K., see Patra, A.K., 109 (2003) 171
Pavan, E. and Santini, F.J., Use of sunflower meal or fish meal as protein supplement for high quality fresh forage diets: ruminal fermentation, microbial protein synthesis and sites of digestion, 101 (2002) 61
Pawde, A., see Nagalakshmi, D., 103 (2003) 1
Peake, D., see Kitessa, S.M., 108 (2003) 1
Pell, A.N., see Cannas, A., 106 (2003) 95
Pereira, O., Rosa, E., Pires, M.A. and Fontaínhas-Fernandes, A., Brassica by-products in diets of rainbow trout (*Oncorhynchus mykiss*) and their effects on performance, body composition, thyroid status and liver histology, 101 (2002) 171

Pereka, A.E., see Mlay, P.S., 109 (2003) 19
Pérez, J.F., see Fondevila, M., 102 (2002) 93
Perez, J.M., see Villamide, M.J., 109 (2003) 195
Perez, J.M., see Xiccato, G., 104 (2003) 153
Pérez-Gil, F., see Nahed, J., 106 (2003) 209
Perottoni, J., see Kozloski, G.V., 104 (2003) 29
Peters, K.J., see Melaku, S., 108 (2003) 159
Pethick, D.W., see Pluske, J.R., 107 (2003) 129
Pethick, D.W., see Twomey, L.N., 108 (2003) 61
Pethick, D.W., see Twomey, L.N., 108 (2003) 71
Pethick, D.W., see Twomey, L.N., 108 (2003) 83
Pike, J.N., see Trater, A.M., 107 (2003) 173
Pimpa, O., Liang, J.B., Balcells, J., Jelan, Z.A. and Abdullah, N., Urinary purine derivative excretion in swamp buffaloes after duodenal purine base infusion, 104 (2003) 191
Pires, M.A., see Pereira, O., 101 (2002) 171
Piva, A., Meola, E., Paolo Gatta, P., Biagi, G., Castellani, G., Mordenti, A.L., Bernard Luchansky, J., Silva, S. and Mordenti, A., The effect of dietary supplementation with trivalent chromium on production performance of laying hens and the chromium content in the yolk, 106 (2003) 149
Pizarro, M., see Brenes, A., 110 (2003) 201
Pluske, J.R., Black, B., Pethick, D.W., Mullan, B.P. and Hampson, D.J., Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129
Pluske, J.R., see Montagne, L., 108 (2003) 95
Pluske, J.R., see Twomey, L.N., 108 (2003) 61
Pluske, J.R., see Twomey, L.N., 108 (2003) 71
Pluske, J.R., see Twomey, L.N., 108 (2003) 83
Polan, C.E., see Loor, J.J., 109 (2003) 105
Poncet, C., see Rémond, D., 105 (2003) 55
Ponnampalam, E., see Weimer, P.J., 103 (2003) 41
Poulsen, H.D., see Carlson, D., 103 (2003) 141
Praharaj, N.K., see Rama Rao, S.V., 106 (2003) 199
Prestløkken, E., see Ljøkjel, K., 107 (2003) 87
Prestløkken, E., see Ljøkjel, K., 107 (2003) 105
Priolo, A., Lanza, M., Galofaro, V., Fasone, V. and Bella, M., Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition, 108 (2003) 215

Q

Quantick, P., see Köse, S., 107 (2003) 161

R

Raes, K., see Fievez, V., 104 (2003) 41
Raghava Rao, E., see Ramana Reddy, Y., 106 (2003) 29
Raiser, A.G., see Kozloski, G.V., 104 (2003) 29
Raju, M.V.L.N., see Rama Rao, S.V., 106 (2003) 199
Rama Rao, S.V., Panda, A.K., Raju, M.V.L.N., Shyam Sunder, G. and Praharaj, N.K., Requirement of calcium for commercial broilers and white leghorn layers at low dietary phosphorus levels, 106 (2003) 199
Ramana Reddy, Y., Krishna, N., Raghava Rao, E. and Janardhana Reddy, T., Influence of dietary protected lipids on intake and digestibility of straw based diets in Deccani sheep, 106 (2003) 29
Ramirez-Avilés, L., see Sandoval-Castro, C.A., 101 (2002) 191
Rémond, D., Le Guen, M.P. and Poncet, C., Degradation in the rumen and nutritional value of lupin (*Lupinus albus* L.) seed proteins effect of extrusion, 105 (2003) 55
Rhein, R.T., see Turner, J.E., 109 (2003) 47
Ribeiro, A.M.L., Mireles, A.J. and Klasing, K.C., Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155
Richter, M., see Třináctý, J., 106 (2003) 59
Rinne, M., see Nousiainen, J., 103 (2003) 97
Rinne, M., see Nousiainen, J., 110 (2003) 61
Ritchie, A., see Kadim, I.T., 109 (2003) 209
Robinson, F.E., see Zuidhof, M.J., 105 (2003) 225
Robinson, P.H., see Getachew, G., 102 (2002) 169
Rocha, J.B.T., see Kozloski, G.V., 104 (2003) 29
Rollin, F., see Haddi, M.-L., 104 (2003) 215
Rosa, E., see Pereira, O., 101 (2002) 171
Rose, S.P., see Wilkinson, J.M., 105 (2003) 215
Rosenkrans Jr., C.F., see Turner, J.E., 109 (2003) 47
Rossi, F., Maurizio, M., Francesco, M., Giovanna, C. and Gianfranco, P., Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223
Rossnagel, B.G., see Yu, P., 107 (2003) 45
Roush, W.B. and Cravener, T.L., Stochastic true digestible amino acid values, 102 (2002) 225
Rowe, J.B., see Twomey, L.N., 108 (2003) 61
Rowe, J.B., see Twomey, L.N., 108 (2003) 71
Rowe, J.B., see Twomey, L.N., 108 (2003) 83

Russell, J.B., see Knaus, W.F., 102 (2002) 3
Rymer, C. and Givens, D.I., Relationships between patterns of rumen fermentation measured in sheep and in situ degradability and the in vitro gas production profile of the diet, 101 (2002) 31

S

Sacakli, P., see Tuncer, S.D., 107 (2003) 211
Sahlstrøm, S., see Skrede, G., 105 (2003) 135
Sahoo, S.K., see Giri, S.S., 104 (2003) 169
Sahu, A.K., see Giri, S.S., 104 (2003) 169
Salem, I.B., see Ben Salem, H., 110 (2003) 45
Sanchez, L.M.B., see Kozloski, G.V., 104 (2003) 29
Sandoval-Castro, C.A., Capetillo-Leal, C., Cetina-Góngora, R. and Ramirez-Avilés, L., A mixture simplex design to study associative effects with an in vitro gas production technique, 101 (2002) 191
Sanginés, L., see Nahed, J., 106 (2003) 209
Sankhyan, S.K., see Bhatta, R., 101 (2002) 45
Santini, F.J., see Pavan, E., 101 (2002) 61
Santos-Ricalde, R.H., see Echeverría, V., 101 (2002) 151
Santra, A. and Karim, S.A., Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87
Sastry, V.R.B., see Nagalakshmi, D., 103 (2003) 1
Sato, T., see Mandebvu, P., 108 (2003) 25
Sauvant, D., see Bravo, D., 108 (2003) 43
Sauvant, D., see Offner, A., 106 (2003) 81
Scarbrough, D.A., see Galdámez-Cabrera, N.W., 105 (2003) 185
Scarbrough, D.A., see McBeth, L.J., 108 (2003) 147
Scarbrough, D.A., see Turner, J.E., 109 (2003) 47
Schlatter, L., see Mandebvu, P., 105 (2003) 81
Schroeder, G.E., see van Ryssen, J.B.J., 107 (2003) 15
Schwab, E.C., Shaver, R.D., Lauer, J.G. and Coors, J.G., Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1
Scollan, N.D., see Lee, M.R.F., 104 (2003) 59
Šebek, L.B.J. and Everts, H., Rumen digesta kinetics in cold exposed prolific sheep: impact on protein evaluation, 101 (2002) 17
Seigler, D.S., see Smith, A.H., 106 (2003) 165
Selim, A.S.M., Pan, J., Suzuki, T., Ueda, K., Kobayashi, Y. and Tanaka, K., Postprandial changes in particle associated ruminal bacteria in sheep fed ammoniated rice straw, 102 (2002) 207
Severin, B.F., see Weimer, P.J., 103 (2003) 41
Sharma, K., see Patra, A.K., 109 (2003) 171
Shaver, R.D., see Schwab, E.C., 109 (2003) 1
Shem, M.N., Mtengeti, E.J., Luaga, M., Ichinohe, T. and Fujihara, T., Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements, 108 (2003) 15
Shinde, A.K., see Bhatta, R., 101 (2002) 45
Shirley, J.E., see DeFrain, J.M., 107 (2003) 75
Shyam Sunder, G., see Rama Rao, S.V., 106 (2003) 199
Siciliano, P.D., see Dorton, K.L., 110 (2003) 31
Silva, S., see Piva, A., 106 (2003) 149
Singh, B., see Getachew, G., 102 (2002) 169
Singh, G.P., see De, D., 103 (2003) 51
Skinner Jr., J.V., see Turner, J.E., 109 (2003) 47
Skrede, A., see Ljøkjel, K., 107 (2003) 87
Skrede, A., see Ljøkjel, K., 107 (2003) 105
Skrede, A., see Skrede, G., 105 (2003) 135
Skrede, G., Herstad, O., Sahlstrøm, S., Holck, A., Slinde, E. and Skrede, A., Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135
Slinde, E., see Skrede, G., 105 (2003) 135
Śliwiński, B.J., Soliva, C.R., Machmüller, A. and Kreuzer, M., Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101
Smith, A.H., Wallig, M.A., Seigler, D.S., Odenyo, A.A., McSweeney, C.S. and Mackie, R.I., Ameliorating the toxic effects of *Acacia angustissima* with polyethylene glycol in rats, 106 (2003) 165
Sniffen, C.J., see de Ondarza, M.B., 101 (2002) 201
Sniffen, C.J., see Mandebvu, P., 105 (2003) 81
Sniffen, C.J., see Mandebvu, P., 108 (2003) 25
Sniffen, C.J., see Uchida, K., 107 (2003) 1
Soliva, C.R., see Hess, H.D., 109 (2003) 79
Soliva, C.R., see Śliwiński, B.J., 101 (2002) 101
Solís, C., see Nahed, J., 106 (2003) 209
Soriano, F.D., see Loor, J.J., 109 (2003) 105
Spanghero, M., Boccalon, S., Gracco, L. and Gruber, L., NDF degradability of hays measured in situ and in vitro, 104 (2003) 201
Spanghero, M., see Getachew, G., 102 (2002) 169
Spörndly, R., see Ekelund, A., 109 (2003) 95
Srikandakumar, A., see Kadim, I.T., 109 (2003) 209
Steenfeldt, S., González, E. and Bach Knudsen, K.E., Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and

enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185
Steidlová, Š. and Kalač, P., Levels of biogenic amines in maize silages, 102 (2002) 197
Steingass, H., see Getachew, G., 102 (2002) 169
Sulas, L., see Valente, M.E., 108 (2003) 181
Sun, Y.-M., see Yu, B., 102 (2002) 35
Susmel, P., see Haddi, M.-L., 104 (2003) 215
Suzuki, T., see Pan, J., 104 (2003) 13
Suzuki, T., see Pan, J., 106 (2003) 69
Suzuki, T., see Selim, A.S.M., 102 (2002) 207
Svihus, B. and Gullord, M., Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71

T

Taciak, M., see Pastuszewska, B., 106 (2003) 175
Takahashi, J., see Yahaya, M.S., 101 (2002) 127
Tamminga, S., see Elgersma, A., 108 (2003) 191
Tanaka, K., see Pan, J., 104 (2003) 13
Tanaka, K., see Pan, J., 106 (2003) 69
Tanaka, K., see Selim, A.S.M., 102 (2002) 207
Taube, F., see Volkers, K.C., 109 (2003) 183
Taylor, S.J., see DePeters, E.J., 105 (2003) 109
Tedeschi, L.O., see Knaus, W.F., 102 (2002) 3
Tegegne, A., see Melaku, S., 108 (2003) 159
Tekerli, M., see Eryavuz, A., 109 (2003) 35
ter Meulen, U., see Ginting-Moenthe, U., 102 (2002) 217
Theodorou, M.K., see Lee, M.R.F., 104 (2003) 59
Titgemeyer, E.C., see DeFrain, J.M., 107 (2003) 75
Titgemeyer, E.C., see Klevesahl, E.A., 105 (2003) 5
Titgemeyer, E.C., see Trater, A.M., 107 (2003) 173
't Mannetje, L., see Zemmelink, G., 105 (2003) 237
Tolla, N., Mirkena, T. and Yimegnuhal, A., Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29
Tothi, R., Lund, P., Weisbjerg, M.R. and Hvelplund, T., Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71
Trater, A.M., Titgemeyer, E.C., Drouillard, J.S. and Pike, J.N., Effects of processing factors on in vitro ammonia release from cooked molasses blocks containing urea, 107 (2003) 173
Treacher, R., see Dhiman, T.R., 101 (2002) 115
Třináctý, J., Homolka, P., Zeman, L. and Richter, M., Whole tract and post ruminal digestibility determined by in situ ruminal, intestinal mobile nylon bag and whole tract nylon capsule methods, 106 (2003) 59
Trocino, A., see Xiccato, G., 104 (2003) 153
True, A.D., see Yamka, R.M., 109 (2003) 121
Tsang, D.S., see Mandebvu, P., 105 (2003) 81
Tuncer, S.D. and Sacakli, P., Rumen degradability characteristics of xylose treated canola and soybean meals, 107 (2003) 211
Turner, J.E., Coblentz, W.K., Scarbrough, D.A., Rhein, R.T., Coffey, K.P., Johnson, Z.B., Rosenkrans Jr., C.F., Kellogg, D.W. and Skinner Jr., J.V., Changes in nutritive value of tall fescue hay as affected by natural rainfall and moisture concentration at baling, 109 (2003) 47
Turner, J.E., see Galdámez-Cabrera, N.W., 105 (2003) 185
Turner, J.E., see McBeth, L.J., 108 (2003) 147
Twomey, L.N., Pluske, J.R., Rowe, J.B., Choct, M., Brown, W. and Pethick, D.W., The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61
Twomey, L.N., Pluske, J.R., Rowe, J.B., Choct, M., Brown, W. and Pethick, D.W., The effects of added fructooligosaccharide (Raftilose® P95) and inulinase on faecal quality and digestibility in dogs, 108 (2003) 83
Twomey, L.N., Pluske, J.R., Rowe, J.B., Choct, M., Brown, W., McConnell, M.F. and Pethick, D.W., The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility, 108 (2003) 71

U

Uchida, K., Mandebvu, P., Ballard, C.S., Sniffen, C.J. and Carter, M.P., Effect of feeding methionine supplements with different rumen escape values on performance of high producing dairy cows in early lactation, 107 (2003) 1
Udén, P., see Dung, N.N.X., 102 (2002) 109
Ueda, K., see Pan, J., 104 (2003) 13
Ueda, K., see Pan, J., 106 (2003) 69
Ueda, K., see Selim, A.S.M., 102 (2002) 207

V

Vadiveloo, J., The effect of agronomic improvement and urea treatment on the nutritional value of Malaysian rice straw varieties, 108 (2003) 133
Vaithiyanathan, S., see Bhatta, R., 101 (2002) 45
Valdez, F., see Mandebvu, P., 105 (2003) 81
Valente, M.E., Borreani, G., Caredda, S., Cavallarin, L. and Sulas, L., Ensiling forage garland (*Chrysanthemum coronarium* L.) at two stages of maturity and at different wilting levels, 108 (2003) 181
Valk, H., see Ekelund, A., 109 (2003) 95
van der Horst, H., see Elgersma, A., 108 (2003) 191
van Gelder, A.H., see Becker, P.M., 110 (2003) 159
van Ryssen, J.B.J. and Schroeder, G.E., Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15
Van Soest, P.J., see Cannas, A., 106 (2003) 95
Van Soest, P.J., see Carpino, S., 105 (2003) 205
van Wikselaar, P.G., see Becker, P.M., 110 (2003) 159
Vanacker, J.M., see De Boever, J.L., 101 (2002) 73
Vanacker, J.M., see De Boever, J.L., 107 (2003) 29
Vanhatalo, A., see Choi, C.W., 102 (2002) 15
Vasquez, M.G., see Arelovich, H.M., 105 (2003) 29
Vedres, D.D., see Yang, W.Z., 102 (2002) 137
Veira, D.M., see Bach, S.J., 104 (2003) 179
Verma, D.L., see Bhatta, R., 101 (2002) 45
Verstegen, M.W.A., see Weurding, R.E., 110 (2003) 175
Vidotti, R.M., Viegas, E.M.M. and Carneiro, D.J., Amino acid composition of processed fish silage using different raw materials, 105 (2003) 199
Viegas, E.M.M., see Vidotti, R.M., 105 (2003) 199
Villamide, M.J., García, J., Cervera, C., Blas, E., Maertens, L. and Perez, J.M., Comparison among methods of nutritional evaluation of dietary ingredients for rabbits, 109 (2003) 195
Viveros, A., see Brenes, A., 110 (2003) 201
Volkers, K.C., Wachendorf, M., Loges, R., Jovanovic, N.J. and Taube, F., Prediction of the quality of forage maize by near-infrared reflectance spectroscopy, 109 (2003) 183

W

Wachendorf, M., see Volkers, K.C., 109 (2003) 183
Waldenstedt, L., Inborr, J., Hansson, I. and Elwinger, K., Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens, 108 (2003) 119
Walker, R.D., see Baidoo, S.K., 104 (2003) 133
Wallig, M.A., see Smith, A.H., 106 (2003) 165
Walters, J.L., see Dhiman, T.R., 101 (2002) 115
Wang, J., see Lindberg, J.E., 104 (2003) 121
Wang, J.F., Jensen, B.B., Jørgensen, H., Li, D.F. and Lindberg, J.E., Ileal and total tract digestibility, and protein and fat balance in pigs fed rice with addition of potato starch, sugar beet pulp or wheat bran, 102 (2002) 125
Wang, J.F., Li, D.F., Jensen, B.B., Jakobsen, K., Xing, J.J., Gong, L.M. and Zhu, Y.H., Effect of type and level of fibre on gastric microbial activity and short-chain fatty acid concentrations in gestating sows, 104 (2003) 95
Webster, A.J.F., Kaya, S., Djouvinov, D.S., Kitcherside, M.A. and Glen, E.F., Purine excretion and estimated microbial protein yield in sheep fed diets differing in protein degradability, 105 (2003) 123
Weimer, P.J., Mertens, D.R., Ponnampalam, E., Severin, B.F. and Dale, B.E., FIBEX-treated rice straw as a feed ingredient for lactating dairy cows, 103 (2003) 41
Weisbjerg, M.R., see Mlay, P.S., 109 (2003) 19
Weisbjerg, M.R., see Tothi, R., 104 (2003) 71
Weurding, R.E., Enting, H. and Verstegen, M.W.A., The effect of site of starch digestion on performance of broiler chickens, 110 (2003) 175
Wickersham, T.A., see Klevesahl, E.A., 105 (2003) 5
Wilkinson, J.M., A laboratory evaluation of comfrey (*Symphytum officinale* L.) as a forage crop for ensilage, 104 (2003) 227
Wilkinson, J.M., Miller, H.M., McCracken, K.J., Knox, A., McNab, J. and Rose, S.P., Effect of specific weight on the metabolizable energy content of four cultivars of wheat grain in ewes, 105 (2003) 215
Williams, A.J., see Kitessa, S.M., 108 (2003) 1
Wolford, H.M., see Mandebvu, P., 108 (2003) 25
Woods, V.B., Moloney, A.P. and O'Mara, F.P., The nutritive value of concentrate feedstuffs for ruminant animals. Part II: In situ ruminal degradability of crude protein, 110 (2003) 131
Woods, V.B., Moloney, A.P., Calsamiglia, S. and O'Mara, F.P., The nutritive value of concentrate feedstuffs for ruminant animals. Part III. Small intestinal digestibility as measured by in vitro or mobile bag techniques, 110 (2003) 145

Woods, V.B., O'Mara, F.P. and Moloney, A.P., The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111
Wray, T.L., see Zuidhof, M.J., 105 (2003) 225

X

Xiccato, G., Trocino, A., De Boever, J.L., Maertens, L., Carabaño, R., Pascual, J.J., Perez, J.M., Gidenne, T. and Falcao-E-Cunha, L., Prediction of chemical composition, nutritive value and ingredient composition of European compound feeds for rabbits by near infrared reflectance spectroscopy (NIRS), 104 (2003) 153
Xing, J.J., see Wang, J.F., 104 (2003) 95

Y

Yabuuchi, Y., see Mandebvu, P., 108 (2003) 25
Yahaya, M.S., Kawai, M., Takahashi, J. and Matsuoka, S., The effect of different moisture contents at ensiling on silo degradation and digestibility of structural carbohydrates of orchardgrass, 101 (2002) 127
Yamka, R.M., Jamikorn, U., True, A.D. and Harmon, D.L., Evaluation of soyabean meal as a protein source in canine foods, 109 (2003) 121
Yáñez Ruiz, D.R., see Molina Alcaide, E., 110 (2003) 3
Yáñez Ruiz, D.R., see Martín García, A.I., 107 (2003) 61
Yang, Q.M., see Baidoo, S.K., 104 (2003) 133
Yang, W.Z., Beauchemin, K.A. and Vedres, D.D., Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture, 102 (2002) 137
Yano, H., see Park, W.-Y., 101 (2002) 55
Yemm, R.S., see Dorton, K.L., 110 (2003) 31
Yenice, E., see Çiftci, I., 105 (2003) 149
Yimegnuhal, A., see Tolla, N., 103 (2003) 29
Yosef, E., see Miron, J., 106 (2003) 20
Yu, B., Sun, Y.-M. and Chiou, P.W.-S., Effects of glucanase inclusion in a de-hulled barley diet on the growth performance and nutrient digestion of broiler chickens, 102 (2002) 35
Yu, P., Meier, J.A., Christensen, D.A., Rossnagel, B.G. and McKinnon, J.J., Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants, 107 (2003) 45
Yuan, J., see Guo, Y., 107 (2003) 143

Z

Zacharias, B., Ott, H. and Drochner, W., The influence of dietary microbial phytase and copper on copper status in growing pigs, 106 (2003) 139
Zaman, M.S., Moyer, J.R., Boswall, A.L. and Mir, Z., Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds, 103 (2003) 163
Zaman, M.S., see Dhiman, T.R., 101 (2002) 115
Zeman, L., see Třináctý, J., 106 (2003) 59
Zemmelink, G. and 't Mannetje, L., Erratum to "Value for animal production (VAP): a new criterion for tropical forage evaluation" [Animal Feed Science and Technology 96 (2002) 31–42], 105 (2003) 237
Zervas, G., see Goulas, C., 105 (2003) 43
Zhang, G., see Guo, Y., 107 (2003) 143
Zhu, Y.H., see Wang, J.F., 104 (2003) 95
Zimmermann, B., Lantzsch, H.-J., Mosenthin, R., Biesalski, H.K. and Drochner, W., Additivity of the effect of cereal and microbial phytases on apparent phosphorus absorption in growing pigs fed diets with marginal P supply, 104 (2003) 143
Zinn, R.A., see DePeters, E.J., 105 (2003) 109
Zuidhof, M.J., Molnar, C.L., Morley, F.M., Wray, T.L., Robinson, F.E., Khan, B.A., Al-Ani, L. and Goonewardene, L.A., Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225

ELSEVIER

Animal Feed Science and Technology
(2003) 239–276

ANIMAL FEED SCIENCE AND TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Subject index

Animal Feed Science and Technology, volumes 101–110, 2002–2003

doi:10.1016/S0377-8401(03)00268-2

A

Acacia angustissima
Ameliorating the toxic effects of *Acacia angustissima* with polyethylene glycol in rats, 106 (2003) 165

Acetic acid
Effect of *Leucaena leucocephala* leaf meal treated with acetic acid or sodium hydroxide on apparent digestibility and nitrogen retention in pig diets, 101 (2002) 151

Acid silage
Amino acid composition of processed fish silage using different raw materials, 105 (2003) 199

Acorn
Microbial caecal fermentation in Iberic or Landrace pigs given acorn/sorghum or maize diets estimated in vitro using the gas production technique, 102 (2002) 93

Ad libitum feed intake
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Adaptation
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135
Influence of prolonged adaptation periods on starch degradation in the digestive tract of dairy cows, 103 (2003) 15

Additivity
Additivity of the effect of cereal and microbial phytases on apparent phosphorus absorption in growing pigs fed diets with marginal P supply, 104 (2003) 143

Aerobic deterioration
Changes in chemical composition and nutritive value of urea treated whole crop wheat during exposure to air, 102 (2002) 181

Agronomic quality
The effect of agronomic improvement and urea treatment on the nutritional value of Malaysian rice straw varieties, 108 (2003) 133

Alfalfa
Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds, 103 (2003) 163
Use of fibrolytic enzymes to improve the nutritive value of ruminant diets. A biochemical and in vitro rumen degradation assessment, 107 (2003) 201

Alkalis
Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass (*Chloris gayana* cv. Callide), 103 (2003) 113

Alternate protein resources
Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117

AME_n
Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185

Amino acid
Effects of prepress-solvent extraction on the nutritional value of canola meal for broiler chickens, 104 (2003) 111
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225
In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 87
Evaluation of soyabean meal as a protein source in canine foods, 109 (2003) 121

Ammonia
Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101
Effect of increasing availability of water-soluble carbohydrates on in vitro rumen fermentation, 104 (2003) 59
Effects of processing factors on in vitro ammonia release from cooked molasses blocks containing urea, 107 (2003) 173

Ammoniated rice straw
Postprandial changes in particle associated ruminal bacteria in sheep fed ammoniated rice straw, 102 (2002) 207

Animal fat
Effect of dietary animal fat and methionine on dairy ewes milk yield and milk composition, 105 (2003) 43

Animal feed
A laboratory evaluation of comfrey (*Symphytum officinale* L.) as a forage crop for ensilage, 104 (2003) 227

Animal health
The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review, 106 (2003) 3

Animal production
The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review, 106 (2003) 3

Antibiotic supplementation
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123

Apparent digestibility
Effect of specific weight on the metabolizable energy content of four cultivars of wheat grain in ewes, 105 (2003) 215
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225
Influence of feeding various phosphorus sources on apparent digestibility of phosphorus in dairy cows, 109 (2003) 95
Effect of low levels of dietary cobalt on apparent nutrient digestibility in Omani goats, 109 (2003) 209

Apparent metabolizable energy
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225

Aquaculture feeds
Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117

Arabinoxylans
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135

Arsi bulls
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Associative effects
A mixture simplex design to study associative effects with an in vitro gas production technique, 101 (2002) 191

B

***B. skutchii* leaves**
Evaluation of the use of *Buddleia skutchii* tree leaves and Kikuyu (*Pennisetum clandestinum*) grass hay in sheep feeding, 106 (2003) 209

Bacteria
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123
Effects of dietary oligosaccharides on microbial diversity and fructo-oligosaccharide degrading bacteria in faeces of piglets post-weaning, 109 (2003) 133

Bacteria count
Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Bacterial infection
A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95

Bacterial protein
Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture, 102 (2002) 137

Baling
Changes in nutritive value of tall fescue hay as affected by natural rainfall and moisture concentration at baling, 109 (2003) 47

Barley
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71
Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking, heat treatment, phytase activity, pH and temperature, 103 (2003) 141
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135

Barley cultivar
Influence of naked barley cultivar with normal, amylose-rich or amylopectin-rich starch and enzyme supplementation on digestibility and piglet performance, 104 (2003) 121

Barley variety
Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants, 107 (2003) 45

Batch culture
Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179

Beef cattle
Effect of a wide range in the ratio of supplemental rumen degradable protein to starch on utilization of low-quality, grass hay by beef steers, 105 (2003) 5

Bermudagrass
In situ ruminal degradation of dry matter and fiber from bermudagrass fertilized with different nitrogen rates and harvested on two dates, 105 (2003) 185

Bioavailability
Relative bioavailability of organic zinc sources based on tissue zinc and metallothionein in chicks fed conventional dietary zinc concentrations, 101 (2002) 161

Biogenic amines
Levels of biogenic amines in maize silages, 102 (2002) 197

Biohydrogenation
Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows, 103 (2003) 63
Grazing allowance after the morning or afternoon milking for lactating cows fed a total mixed ration (TMR) enhances *trans*11-18:1 and *cis*9,-*trans*11-18:2 (rumenic acid) in milk fat to different extents, 109 (2003) 105

Biological value
The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175

Blood meal
Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15

Blood parameters
The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201

Body composition
Brassica by-products in diets of rainbow trout (*Oncorhynchus mykiss*) and their effects on performance, body composition, thyroid status and liver histology, 101 (2002) 171

Bone mineral
The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201

Bone strength
Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155

Bran
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135

Broiler
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71

Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155
Biological availability of calcium in broiler chicks from different calcium sources found in Nigeria, 104 (2003) 209
Effect of different choice feeding methods based on whole wheat on performance of male broiler chickens, 106 (2003) 131
Requirement of calcium for commercial broilers and white leghorn layers at low dietary phosphorus levels, 106 (2003) 199

Broiler chickens

Effects of glucanase inclusion in a de-hulled barley diet on the growth performance and nutrient digestion of broiler chickens, 102 (2002) 35
Addition of β-ionone to the diet fails to affect growth performance in female broiler chickens, 106 (2003) 219
The effect of site of starch digestion on performance of broiler chickens, 110 (2003) 175
Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185

Broiler meat stability

Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

Broiler performance

Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine, 103 (2003) 171

Buffaloes

Urinary purine derivative excretion in swamp buffaloes after duodenal purine base infusion, 104 (2003) 191

Byproduct

Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109
Development and evaluation of a pelleted feedstuff containing condensed corn steep liquor and raw soybean hulls for dairy cattle diets, 107 (2003) 75

C

Cabbage meal

Brassica by-products in diets of rainbow trout (*Oncorhynchus mykiss*) and their effects on performance, body composition, thyroid status and liver histology, 101 (2002) 171

Caecal fermentation

Microbial caecal fermentation in Iberic or Landrace pigs given acorn/sorghum or maize diets estimated in vitro using the gas production technique, 102 (2002) 93

Ca-LCFA of red palm oil

Influence of dietary protected lipids on intake and digestibility of straw based diets in Deccani sheep, 106 (2003) 29

Calcium

Biological availability of calcium in broiler chicks from different calcium sources found in Nigeria, 104 (2003) 209
Requirement of calcium for commercial broilers and white leghorn layers at low dietary phosphorus levels, 106 (2003) 199

Calcium salts

Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters, 108 (2003) 25

Calves

Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51

Campylobacter jejuni

Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens, 108 (2003) 119

Canola meal

Effects of prepress-solvent extraction on the nutritional value of canola meal for broiler chickens, 104 (2003) 111

Rumen degradability characteristics of xylose treated canola and soybean meals, 107 (2003) 211

Canola oil
Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows, 103 (2003) 63

Carbohydrate addition
Gas production from straw incubated in vitro with different levels of purified carbohydrates, 101 (2002) 1

Carcass
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Carotenoid
Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens, 108 (2003) 119

Catalase
Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

Cattle
Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions, 104 (2003) 1
Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29
Use of animal and dietary information to predict rumen turnover, 106 (2003) 95
Effects of processing factors on in vitro ammonia release from cooked molasses blocks containing urea, 107 (2003) 173

Cell wall
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

Cellulase
The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119

Cellulose
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

Cereal phytase
Additivity of the effect of cereal and microbial phytases on apparent phosphorus absorption in growing pigs fed diets with marginal P supply, 104 (2003) 143

Cereals
Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking, heat treatment, phytase activity, pH and temperature, 103 (2003) 141

Cheese
Selection of forage species by dairy cattle on complex Sicilian pasture, 105 (2003) 205

Chemical composition
Prediction of chemical composition, nutritive value and ingredient composition of European compound feeds for rabbits by near infrared reflectance spectroscopy (NIRS), 104 (2003) 153
Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves, 107 (2003) 61
Merit of *Gleditsia triacanthos* pods in animal feeding. Chemical composition and nutritional evaluation, 107 (2003) 151

Chemical contents
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71

Chewing
Effect of mastication on degradation of orchardgrass hay stem by rumen microbes: fibrolytic enzyme activities and microbial attachment, 106 (2003) 69

Chick
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135
Relative bioavailability of organic zinc sources based on tissue zinc and metallothionein in chicks fed conventional dietary zinc concentrations, 101 (2002) 161

Biological availability of calcium in broiler chicks from different calcium sources found in Nigeria, 104 (2003) 209
The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201

Chicken performance
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135

Chickpeas
Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition, 108 (2003) 215

Choice feeding
Effect of different choice feeding methods based on whole wheat on performance of male broiler chickens, 106 (2003) 131

Cholesterol
Addition of β-ionone to the diet fails to affect growth performance in female broiler chickens, 106 (2003) 219

Chromium
The effect of dietary supplementation with trivalent chromium on production performance of laying hens and the chromium content in the yolk, 106 (2003) 149

***Chrysanthemum coronarium* L**
Ensiling forage garland (*Chrysanthemum coronarium* L.) at two stages of maturity and at different wilting levels, 108 (2003) 181

Ciliate protozoa
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87

Citric acid
The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201

Clostridium perfringens
Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens, 108 (2003) 119

Cobalt deficiency
Effect of low levels of dietary cobalt on apparent nutrient digestibility in Omani goats, 109 (2003) 209

Cockerels
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71

Cold exposure
Rumen digesta kinetics in cold exposed prolific sheep: impact on protein evaluation, 101 (2002) 17

Cold process
Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51

Comfrey (*Symphytum officinale*)
A laboratory evaluation of comfrey (*Symphytum officinale* L.) as a forage crop for ensilage, 104 (2003) 227

Companion crop
Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds, 103 (2003) 163

Compensatory growth
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Composition
A laboratory evaluation of comfrey (*Symphytum officinale* L.) as a forage crop for ensilage, 104 (2003) 227

Compound feeds
Prediction of chemical composition, nutritive value and ingredient composition of European compound feeds for rabbits by near infrared reflectance spectroscopy (NIRS), 104 (2003) 153
Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors, 107 (2003) 29

Concentrates
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29
The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111
The nutritive value of concentrate feedstuffs for ruminant animals. Part II: In situ ruminal degradability of crude protein, 110 (2003) 131
The nutritive value of concentrate feedstuffs for ruminant animals. Part III. Small intestinal digestibility as measured by in vitro or mobile bag techniques, 110 (2003) 145

Condensed corn steep liquor
Development and evaluation of a pelleted feedstuff containing condensed corn steep liquor and raw soybean hulls for dairy cattle diets, 107 (2003) 75

Condensed tannins
Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions, 104 (2003) 1
The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review, 106 (2003) 3
Effect of different doses of quebracho tannins extract on rumen fermentation in ewes, 109 (2003) 65

Conjugated linoleic acids (CLA)
Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows, 103 (2003) 63
Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition, 108 (2003) 215

Continuous culture
Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture, 102 (2002) 137
Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179

Copper
The influence of dietary microbial phytase and copper on copper status in growing pigs, 106 (2003) 139
Effects of copper source and concentration on copper status and immune function in growing and finishing steers, 110 (2003) 31

Corn
Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71

Corn silage
Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21
Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1

Cottonseed meal
Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets, 103 (2003) 1

Cows
Performance of dairy cows fed forage treated with fibrolytic enzymes prior to feeding, 101 (2002) 115
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223

Crude protein
Prediction of the quality of forage maize by near-infrared reflectance spectroscopy, 109 (2003) 183

D

D,L-Methionine
Effect of feeding methionine supplements with different rumen escape values on performance of high producing dairy cows in early lactation, 107 (2003) 1

Dairy cattle
Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1

Dairy cow
Influence of prolonged adaptation periods on starch degradation in the digestive tract of dairy cows, 103 (2003) 15

Effect of feeding an energy supplement prepartum and postpartum on milk yield and composition, and incidence of ketosis in dairy cows, 105 (2003) 81
Selection of forage species by dairy cattle on complex Sicilian pasture, 105 (2003) 205
Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39
Effect of feeding methionine supplements with different rumen escape values on performance of high producing dairy cows in early lactation, 107 (2003) 1
In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 105
Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters, 108 (2003) 25
Influence of feeding various phosphorus sources on apparent digestibility of phosphorus in dairy cows, 109 (2003) 95

Dairy ewes
Effect of dietary animal fat and methionine on dairy ewes milk yield and milk composition, 105 (2003) 43

Database generation
The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111
The nutritive value of concentrate feedstuffs for ruminant animals. Part II: In situ ruminal degradability of crude protein, 110 (2003) 131

Deccani sheep
Influence of dietary protected lipids on intake and digestibility of straw based diets in Deccani sheep, 106 (2003) 29

Defaunation
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87
Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35

Degradability
Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71
NDF degradability of hays measured in situ and in vitro, 104 (2003) 201
Merit of *Gleditsia triacanthos* pods in animal feeding. Chemical composition and nutritional evaluation, 107 (2003) 151

Degradation kinetics
In situ ruminal degradation of dry matter and fiber from bermudagrass fertilized with different nitrogen rates and harvested on two dates, 105 (2003) 185

De-hulled barley
Effects of glucanase inclusion in a de-hulled barley diet on the growth performance and nutrient digestion of broiler chickens, 102 (2002) 35

Δ^9-desaturase
Grazing allowance after the morning or afternoon milking for lactating cows fed a total mixed ration (TMR) enhances *trans*11-18:1 and *cis*9,-*trans*11-18:2 (rumenic acid) in milk fat to different extents, 109 (2003) 105

Desolventization/toasting
Effects of prepress-solvent extraction on the nutritional value of canola meal for broiler chickens, 104 (2003) 111

DHA
Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1

Diaminopimelic acid
Postprandial changes in particle associated ruminal bacteria in sheep fed ammoniated rice straw, 102 (2002) 207

Diarrhoea
Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129

Dietary fibre
Ileal and total tract digestibility, and protein and fat balance in pigs fed rice with addition of potato starch, sugar beet pulp or wheat bran, 102 (2002) 125

Effect of type and level of fibre on gastric microbial activity and short-chain fatty acid concentrations in gestating sows, 104 (2003) 95
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135
The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119
Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129
The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility, 108 (2003) 71
A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Digesta passage
Effects of oilseed meal and grain-urea supplements fed infrequently on digestion in sheep. 1. Low quality grass hay diets, 110 (2003) 75

Digesta retention
Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109

Digestibility
The effect of different moisture contents at ensiling on silo degradation and digestibility of structural carbohydrates of orchardgrass, 101 (2002) 127
Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109
Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture, 102 (2002) 137
Influence of prolonged adaptation periods on starch degradation in the digestive tract of dairy cows, 103 (2003) 15
Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97
Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71
Influence of naked barley cultivar with normal, amylose-rich or amylopectin-rich starch and enzyme supplementation on digestibility and piglet performance, 104 (2003) 121
A qualitative and quantitative evaluation of the seaweed diet of North Ronaldsay sheep, 105 (2003) 21
Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71
Whole tract and post ruminal digestibility determined by in situ ruminal, intestinal mobile nylon bag and whole tract nylon capsule methods, 106 (2003) 59
The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119
The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175
Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117
Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements, 108 (2003) 15
Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43
The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility, 108 (2003) 71
The effects of added fructooligosaccharide (Raftilose® P95) and inulinase on faecal quality and digestibility in dogs, 108 (2003) 83
Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens, 108 (2003) 119
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223
Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19
Evaluation of soyabean meal as a protein source in canine foods, 109 (2003) 121
Prediction of the digestibility of primary growth and regrowth grass silages from chemical

composition, pepsin-cellulase solubility and indigestible cell wall content, 110 (2003) 61
Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185

Digestible amino acids
Stochastic true digestible amino acid values, 102 (2002) 225

Digestion
Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3
Potential nutritional assessment of dwarf elephant grass (*Pennisetum purpureum* Schum. cv. Mott) by chemical composition, digestion and net portal flux of oxygen in cattle, 104 (2003) 29
Degradation in the rumen and nutritional value of lupin (*Lupinus albus* L.) seed proteins effect of extrusion, 105 (2003) 55
Rice straw degradation and biomass synthesis by rumen micro-organisms in continuous culture in response to ammonia treatment and legume extract supplementation, 105 (2003) 95
Use of fibrolytic enzymes to improve the nutritive value of ruminant diets. A biochemical and in vitro rumen degradation assessment, 107 (2003) 201
Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1
Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45
Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95

Digestion kinetics
FIBEX-treated rice straw as a feed ingredient for lactating dairy cows, 103 (2003) 41

Digestive tract
Post-ruminal phytate degradation in sheep, 101 (2002) 55
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135

Disappearance kinetics
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147

Dog
The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61
The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility, 108 (2003) 71
The effects of added fructooligosaccharide (Raftilose^{R}P95) and inulinase on faecal quality and digestibility in dogs, 108 (2003) 83
Evaluation of soyabean meal as a protein source in canine foods, 109 (2003) 121

Dromedary
In vitro fermentation kinetics of some halophyte shrubs sampled at three stages of maturity, 104 (2003) 215

Drought feeding
Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions, 104 (2003) 1

Dry matter
In situ ruminal degradation of dry matter and fiber from bermudagrass fertilized with different nitrogen rates and harvested on two dates, 105 (2003) 185
Whole tract and post ruminal digestibility determined by in situ ruminal, intestinal mobile nylon bag and whole tract nylon capsule methods, 106 (2003) 59
The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111

***D*-value**
Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97

E

***E. coli* O157:H7**
Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179

Emulsifier
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53

Endogenous nitrogen flows
The enzyme hydrolysed protein method for the determination of endogenous ileal nitrogen and amino acid flows—a modification, 108 (2003) 207

Endogenous phytase
Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking, heat treatment, phytase activity, pH and temperature, 103 (2003) 141

Energy
Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1

Energy supplement
Effect of feeding an energy supplement prepartum and postpartum on milk yield and composition, and incidence of ketosis in dairy cows, 105 (2003) 81

Ensiling
The effect of different moisture contents at ensiling on silo degradation and digestibility of structural carbohydrates of orchardgrass, 101 (2002) 127

Enterolobium cyclocarpum
Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79

Enzyme
Performance of dairy cows fed forage treated with fibrolytic enzymes prior to feeding, 101 (2002) 115
Influence of naked barley cultivar with normal, amylose-rich or amylopectin-rich starch and enzyme supplementation on digestibility and piglet performance, 104 (2003) 121
Use of triticale alone and in combination with wheat or maize: effects of diet type and enzyme supplementation on hen performance, egg quality, organ weights, intestinal viscosity and digestive system characteristics, 105 (2003) 149
Use of fibrolytic enzymes to improve the nutritive value of ruminant diets. A biochemical and in vitro rumen degradation assessment, 107 (2003) 201
The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility, 108 (2003) 71

Enzyme addition
Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185

Enzyme hydrolysed protein
The enzyme hydrolysed protein method for the determination of endogenous ileal nitrogen and amino acid flows—a modification, 108 (2003) 207

Enzyme supplementation
The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61

EPA
Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1

Epithelium
A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95

Essential amino acids
Amino acid composition of processed fish silage using different raw materials, 105 (2003) 199

Evaluation
In vitro and in situ evaluation of selected multi-purpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw, 108 (2003) 159

Evaluation methods
Comparison among methods of nutritional evaluation of dietary ingredients for rabbits, 109 (2003) 195

Ewe
Rumen digesta kinetics in cold exposed prolific sheep: impact on protein evaluation, 101 (2002) 17

Extrusion
Degradation in the rumen and nutritional value of lupin (*Lupinus albus* L.) seed proteins effect of extrusion, 105 (2003) 55

F

Faecal quality
The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61

Faeces
The effects of added fructooligosaccharide (Raftilose® P95) and inulinase on faecal quality and digestibility in dogs, 108 (2003) 83

Fat digestion
Fat nutrition and metabolism in piglets: a review, 109 (2003) 151

Fat extraction
Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (*Lolium perenne* L.), affected by cultivar and regrowth interval, 108 (2003) 191

Fat metabolism
Fat nutrition and metabolism in piglets: a review, 109 (2003) 151

Fat nutrition
Fat nutrition and metabolism in piglets: a review, 109 (2003) 151

Fat stability
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53

Fatty acids
Effect of dietary animal fat and methionine on dairy ewes milk yield and milk composition, 105 (2003) 43
Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1
Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters, 108 (2003) 25
Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (*Lolium perenne* L.), affected by cultivar and regrowth interval, 108 (2003) 191
Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition, 108 (2003) 215

Feed
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53
Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163

Feed blocks
Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45

Feed degradation
Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter, 101 (2002) 183

Feed processing
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53

Feed:gain ratio
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135

Feeding value
Merit of *Gleditsia triacanthos* pods in animal feeding. Chemical composition and nutritional evaluation, 107 (2003) 151

Feedstuffs
Influence of feeding various phosphorus sources on apparent digestibility of phosphorus in dairy cows, 109 (2003) 95

Fermentation
The influence of fermented putak on diet digestibility and growth performance of weanling pigs, 102 (2002) 217

The fermentation of soybean meal by rumen microbes in vitro reveals different kinetic features for the inactivation and the degradation of trypsin inhibitor protein, 106 (2003) 189
Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129
Effects of dietary oligosaccharides on microbial diversity and fructo-oligosaccharide degrading bacteria in faeces of piglets post-weaning, 109 (2003) 133

Fermentation pattern
Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo, 104 (2003) 41

Fermentation quality
Ensiling forage garland (*Chrysanthemum coronarium* L.) at two stages of maturity and at different wilting levels, 108 (2003) 181

Fermented silage
Amino acid composition of processed fish silage using different raw materials, 105 (2003) 199

Fiber
Performance of dairy cows fed forage treated with fibrolytic enzymes prior to feeding, 101 (2002) 115
FIBEX-treated rice straw as a feed ingredient for lactating dairy cows, 103 (2003) 41

Fibre digestibility
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

Fibrolytic enzyme activity
Effects of urea infused into the rumen on liquid- and particle-associated fibrolytic enzyme activities in steers fed low quality grass hay, 104 (2003) 13
Effect of mastication on degradation of orchardgrass hay stem by rumen microbes: fibrolytic enzyme activities and microbial attachment, 106 (2003) 69

Fibrolytic enzymes
Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture, 102 (2002) 137

Ficus religiosa
Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71

Fish meal
Use of sunflower meal or fish meal as protein supplement for high quality fresh forage diets: ruminal fermentation, microbial protein synthesis and sites of digestion, 101 (2002) 61
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15
Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Fish nutrition
Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117

Fish oil
Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo, 104 (2003) 41

Fish silages
Amino acid composition of processed fish silage using different raw materials, 105 (2003) 199

Flour
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135

Fodder trees
Evaluation of the use of *Buddleia skutchii* tree leaves and Kikuyu (*Pennisetum clandestinum*) grass hay in sheep feeding, 106 (2003) 209

Forage
Performance of dairy cows fed forage treated with fibrolytic enzymes prior to feeding, 101 (2002) 115
Changes in chemical composition and nutritive value of urea treated whole crop wheat during exposure to air, 102 (2002) 181
Effect of a wide range in the ratio of supplemental rumen degradable protein to starch on utilization of low-quality, grass hay by beef steers, 105 (2003) 5

Forage legumes
Ameliorating the toxic effects of *Acacia angustissima* with polyethylene glycol in rats, 106 (2003) 165

Forage maize
Prediction of the quality of forage maize by near-infrared reflectance spectroscopy, 109 (2003) 183

Forage quality
Prediction of the quality of forage maize by near-infrared reflectance spectroscopy, 109 (2003) 183

Formaldehyde treatment
Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43

Fractional outflow rate
Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71

Freeze drying
Effect of preparation method on composition and NIR spectra of forage samples, 107 (2003) 191

Freezing
The effect of freezing and thawing on grass silage quality predictions based on near infrared reflectance spectroscopy, 102 (2002) 151

Fresh forage
Use of sunflower meal or fish meal as protein supplement for high quality fresh forage diets: ruminal fermentation, microbial protein synthesis and sites of digestion, 101 (2002) 61

Fructooligosaccharides
The effects of added fructooligosaccharide (Raftilose® P95) and inulinase on faecal quality and digestibility in dogs, 108 (2003) 83

G

Gas production
Relationships between patterns of rumen fermentation measured in sheep and in situ degradability and the in vitro gas production profile of the diet, 101 (2002) 31
A mixture simplex design to study associative effects with an in vitro gas production technique, 101 (2002) 191
Microbial caecal fermentation in Iberic or Landrace pigs given acorn/sorghum or maize diets estimated in vitro using the gas production technique, 102 (2002) 93
In vitro fermentation kinetics of some halophyte shrubs sampled at three stages of maturity, 104 (2003) 215
In vitro gas production as a method to compare fermentation characteristics of steam-flaked corn, 105 (2003) 109
Effect of different doses of quebracho tannins extract on rumen fermentation in ewes, 109 (2003) 65

Gas production technique
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Genotype
The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119

Gestating sows
Effect of type and level of fibre on gastric microbial activity and short-chain fatty acid concentrations in gestating sows, 104 (2003) 95

Gleditsia triacanthos
Merit of *Gleditsia triacanthos* pods in animal feeding. Chemical composition and nutritional evaluation, 107 (2003) 151

Glucanase
Effects of glucanase inclusion in a de-hulled barley diet on the growth performance and nutrient digestion of broiler chickens, 102 (2002) 35

Goats
Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71
Effect of low levels of dietary cobalt on apparent nutrient digestibility in Omani goats, 109 (2003) 209
Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45

Grass cultivars
Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (*Lolium perenne* L.), affected by cultivar and regrowth interval, 108 (2003) 191

Grass hay
Effects of urea infused into the rumen on liquid- and particle-associated fibrolytic enzyme activities in steers fed low quality grass hay, 104 (2003) 13

Grass hay stem
Effect of mastication on degradation of orchardgrass hay stem by rumen microbes: fibrolytic enzyme activities and microbial attachment, 106 (2003) 69

Grass silage
Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97
Prediction of the digestibility of primary growth and regrowth grass silages from chemical composition, pepsin-cellulase solubility and indigestible cell wall content, 110 (2003) 61

Grass silage quality
The effect of freezing and thawing on grass silage quality predictions based on near infrared reflectance spectroscopy, 102 (2002) 151

Gravid does
Response of gravid does to partial replacement of dietary protein by a leaf meal mixture of *Leucaena leucocephala*, *Morus alba* and *Azadirachta indica*, 109 (2003) 171

Green plants
Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109

Growing pigs
Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109

Growth
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87
Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51
Influence of naked barley cultivar with normal, amylose-rich or amylopectin-rich starch and enzyme supplementation on digestibility and piglet performance, 104 (2003) 121
Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169
Effects of oilseed meal and grain-urea supplements fed infrequently on digestion in sheep. 1. Low quality grass hay diets, 110 (2003) 75
Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95

Growth performance
Effect of polyethylene glycol-6000 on nutrient intake, digestion and growth of kids browsing *Prosopis cineraria*, 101 (2002) 45
Effects of glucanase inclusion in a de-hulled barley diet on the growth performance and nutrient digestion of broiler chickens, 102 (2002) 35
Addition of β-ionone to the diet fails to affect growth performance in female broiler chickens, 106 (2003) 219

H

Halophyte
In vitro fermentation kinetics of some halophyte shrubs sampled at three stages of maturity, 104 (2003) 215

Hays
NDF degradability of hays measured in situ and in vitro, 104 (2003) 201

Health
Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39

Heat treatment
Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71

In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 105

Heating-degree days
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147

Hematological parameters
Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35

Hemicellulose
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

Histamine
Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Humidity effect
Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Hybrid catfish
Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169

I

Iberic breed
Microbial caecal fermentation in Iberic or Landrace pigs given acorn/sorghum or maize diets estimated in vitro using the gas production technique, 102 (2002) 93

Ileum
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123

Immune function
Effects of copper source and concentration on copper status and immune function in growing and finishing steers, 110 (2003) 31

In situ
Rumen degradation characteristics of nutrients in maize silages and evaluation of laboratory measurements and NIRS as predictors, 101 (2002) 73
NDF degradability of hays measured in situ and in vitro, 104 (2003) 201
In situ ruminal degradation of dry matter and fiber from bermudagrass fertilized with different nitrogen rates and harvested on two dates, 105 (2003) 185
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147
In vitro and in situ evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw, 108 (2003) 159
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223

In situ degradation
Effect of different doses of quebracho tannins extract on rumen fermentation in ewes, 109 (2003) 65

In situ NDF disappearance
Effect of mastication on degradation of orchardgrass hay stem by rumen microbes: fibrolytic enzyme activities and microbial attachment, 106 (2003) 69

In situ rumen degradability
Ruminal degradability and in vitro intestinal digestibility of sunflower meal and in vitro digestibility of olive by-products supplemented with urea or sunflower meal. Comparison between goats and sheep, 110 (2003) 3

In situ ruminal degradability
The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111
The nutritive value of concentrate feedstuffs for ruminant animals. Part II: In situ ruminal degradability of crude protein, 110 (2003) 131

In situ technique
Quantitative review of in situ starch degradation in the rumen, 106 (2003) 81

In vitro
Tropical fibre sources for pigs—digestibility, digesta retention and estimation of fibre digestibility in vitro, 102 (2002) 109
Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97
NDF degradability of hays measured in situ and in vitro, 104 (2003) 201
Rice straw degradation and biomass synthesis by rumen micro-organisms in continuous culture in response to ammonia treatment and legume extract supplementation, 105 (2003) 95
In vitro gas production as a method to compare fermentation characteristics of steam-flaked corn, 105 (2003) 109
Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors, 107 (2003) 29
Use of fibrolytic enzymes to improve the nutritive value of ruminant diets. A biochemical and in vitro rumen degradation assessment, 107 (2003) 201
In vitro and in situ evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw, 108 (2003) 159
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223

In vitro digestibility
Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves, 107 (2003) 61
Ruminal degradability and in vitro intestinal digestibility of sunflower meal and in vitro digestibility of olive by-products supplemented with urea or sunflower meal. Comparison between goats and sheep, 110 (2003) 3

In vitro gas production
Gas production from straw incubated in vitro with different levels of purified carbohydrates, 101 (2002) 1
Laboratory variation of 24 h in vitro gas production and estimated metabolizable energy values of ruminant feeds, 102 (2002) 169

In vitro simulation model
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123

In vivo
Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97
Effect of expander processing on fractional rate of maize and barley starch degradation in the rumen of dairy cows estimated using rumen evacuation and in situ techniques, 104 (2003) 71

Indigestible neutral detergent fibre
Prediction of the digestibility of primary growth and regrowth grass silages from chemical composition, pepsin-cellulase solubility and indigestible cell wall content, 110 (2003) 61

Ingredients
Comparison among methods of nutritional evaluation of dietary ingredients for rabbits, 109 (2003) 195

Intake
Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements, 108 (2003) 15
Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19

Intestinal colonization
Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens, 108 (2003) 119

Intestinal enzyme
Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169

Intestinal indigestibility
In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 87

In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 105

Intra- and inter-laboratory
Laboratory variation of 24 h in vitro gas production and estimated metabolizable energy values of ruminant feeds, 102 (2002) 169

Inulinase
The effects of added fructooligosaccharide (Raftilose® P95) and inulinase on faecal quality and digestibility in dogs, 108 (2003) 83

β-Ionone
Addition of β-ionone to the diet fails to affect growth performance in female broiler chickens, 106 (2003) 219

Ionophore
Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51
Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163

IOP
Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39

Isoleucine
Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine, 103 (2003) 171

K

Kermes oak
Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45

Ketosis
Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine, 103 (2003) 171
Effect of feeding an energy supplement prepartum and postpartum on milk yield and composition, and incidence of ketosis in dairy cows, 105 (2003) 81

Kids
Effect of polyethylene glycol-6000 on nutrient intake, digestion and growth of kids browsing *Prosopis cineraria*, 101 (2002) 45

Kikuyu hay
Evaluation of the use of *Buddleia skutchii* tree leaves and Kikuyu (*Pennisetum clandestinum*) grass hay in sheep feeding, 106 (2003) 209

Klason lignin
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

L

Lactating cows
Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21

Lactic acid fermentation
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135

Lambs
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87
Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets, 103 (2003) 1

Larva
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225

Layer
Requirement of calcium for commercial broilers and white leghorn layers at low dietary phosphorus levels, 106 (2003) 199

Laying hen
Use of triticale alone and in combination with wheat or maize: effects of diet type and enzyme supplementation on hen performance, egg quality, organ weights, intestinal viscosity and digestive system characteristics, 105 (2003) 149
The effect of dietary supplementation with trivalent chromium on production performance of laying hens and the chromium content in the yolk, 106 (2003) 149

Leaf meal mixture
Response of gravid does to partial replacement of dietary protein by a leaf meal mixture of *Leucaena leucocephala*, *Morus alba* and *Azadirachta indica*, 109 (2003) 171

Leucaena leucocephala
Effect of *Leucaena leucocephala* leaf meal treated with acetic acid or sodium hydroxide on apparent digestibility and nitrogen retention in pig diets, 101 (2002) 151
A mixture simplex design to study associative effects with an in vitro gas production technique, 101 (2002) 191

Leucine
Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine, 103 (2003) 171

Lignin
Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101

Lipase
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53

Lipolysis
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53
Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo, 104 (2003) 41

Low quality hay
Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19

Lucerne
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

Lupin
Degradation in the rumen and nutritional value of lupin (*Lupinus albus* L.) seed proteins effect of extrusion, 105 (2003) 55
Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117
Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185

Lysiloma latisiliquum
A mixture simplex design to study associative effects with an in vitro gas production technique, 101 (2002) 191

Lysine
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223

M

Macrophyte
A qualitative and quantitative evaluation of the seaweed diet of North Ronaldsay sheep, 105 (2003) 21

Magnesium
Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

Maize
The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61

Maize silage
Rumen degradation characteristics of nutrients in maize silages and evaluation of laboratory measurements and NIRS as predictors, 101 (2002) 73
Levels of biogenic amines in maize silages, 102 (2002) 197

Maturity
Nutritive value of whole crop wheat silage harvested at three stages of maturity, 103 (2003) 85

Metabolic profile
Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45

Metabolizable energy
Laboratory variation of 24 h in vitro gas production and estimated metabolizable energy values of ruminant feeds, 102 (2002) 169
Effects of oilseed meal and grain-urea supplements fed infrequently on digestion in sheep. 1. Low quality grass hay diets, 110 (2003) 75
Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95

Metallothionein
Relative bioavailability of organic zinc sources based on tissue zinc and metallothionein in chicks fed conventional dietary zinc concentrations, 101 (2002) 161

Methane
Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101
Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo, 104 (2003) 41
Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79

Methionine
Effect of dietary animal fat and methionine on dairy ewes milk yield and milk composition, 105 (2003) 43
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223

Methionine hydroxy analog
Effect of feeding methionine supplements with different rumen escape values on performance of high producing dairy cows in early lactation, 107 (2003) 1

Microbial
A new method to estimate microbial nitrogen escape from the rumen of the dairy cow, 101 (2002) 201

Microbial phytase
Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking, heat treatment, phytase activity, pH and temperature, 103 (2003) 141
Additivity of the effect of cereal and microbial phytases on apparent phosphorus absorption in growing pigs fed diets with marginal P supply, 104 (2003) 143

Microbial protein
Effect of increasing availability of water-soluble carbohydrates on in vitro rumen fermentation, 104 (2003) 59
Urinary purine derivative excretion in swamp buffaloes after duodenal purine base infusion, 104 (2003) 191

Microbial protein synthesis
Purine excretion and estimated microbial protein yield in sheep fed diets differing in protein degradability, 105 (2003) 123

Microflora
Effect of type and level of fibre on gastric microbial activity and short-chain fatty acid concentrations in gestating sows, 104 (2003) 95

Microorganism
Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter, 101 (2002) 183

Milk
Performance of dairy cows fed forage treated with fibrolytic enzymes prior to feeding, 101 (2002) 115
FIBEX-treated rice straw as a feed ingredient for lactating dairy cows, 103 (2003) 41

Milk composition
FIBEX-treated rice straw as a feed ingredient for lactating dairy cows, 103 (2003) 41
Effect of dietary animal fat and methionine on dairy ewes milk yield and milk composition, 105 (2003) 43

Milk fat
Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows, 103 (2003) 63
Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21

Milk fatty acids
Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21

Milk yield
Effect of feeding an energy supplement prepartum and postpartum on milk yield and composition, and incidence of ketosis in dairy cows, 105 (2003) 81
Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21
Effect of feeding methionine supplements with different rumen escape values on performance of high producing dairy cows in early lactation, 107 (2003) 1
Fish oil metabolism in ruminants. III. Transfer of *n*−3 polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1
Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements, 108 (2003) 15
Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters, 108 (2003) 25

Mill
In vitro gas production as a method to compare fermentation characteristics of steam-flaked corn, 105 (2003) 109

Mineral retention
The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201

Mixed-linked (1→3)(1→4)-β-glucans
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135

Mixture simplex design
A mixture simplex design to study associative effects with an in vitro gas production technique, 101 (2002) 191

Mobile bags
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15

Mobile nylon bag
Whole tract and post ruminal digestibility determined by in situ ruminal, intestinal mobile nylon bag and whole tract nylon capsule methods, 106 (2003) 59
The nutritive value of concentrate feedstuffs for ruminant animals. Part III. Small intestinal digestibility as measured by in vitro or mobile bag techniques, 110 (2003) 145

Molasses
Effects of processing factors on in vitro ammonia release from cooked molasses blocks containing urea, 107 (2003) 173

Monensin
Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51
Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39

Mould growth
Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Mucus/mucin
A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95

Multipurpose trees
In vitro and in situ evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw, 108 (2003) 159

Musca domestica
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225

N

N
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147

N utilization
Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71

Napier
Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements, 108 (2003) 15

NDF
NDF degradability of hays measured in situ and in vitro, 104 (2003) 201
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147

NDF kinetics
Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19

NDIN
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers, 108 (2003) 147

Near infrared reflectance spectroscopy
The effect of freezing and thawing on grass silage quality predictions based on near infrared reflectance spectroscopy, 102 (2002) 151
Prediction of chemical composition, nutritive value and ingredient composition of European compound feeds for rabbits by near infrared reflectance spectroscopy (NIRS), 104 (2003) 153
Prediction of the quality of forage maize by near-infrared reflectance spectroscopy, 109 (2003) 183

Net energy
Prediction of the quality of forage maize by near-infrared reflectance spectroscopy, 109 (2003) 183

Neutral detergent fiber
In situ ruminal degradation of dry matter and fiber from bermudagrass fertilized with different nitrogen rates and harvested on two dates, 105 (2003) 185
Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1

Ninhydrin
Effects of several protein supplements on flow of soluble non-ammonia nitrogen from the forest-omach and milk production in dairy cows, 102 (2002) 15

NIR spectra
Effect of preparation method on composition and NIR spectra of forage samples, 107 (2003) 191

NIRS
Rumen degradation characteristics of nutrients in maize silages and evaluation of laboratory measurements and NIRS as predictors, 101 (2002) 73
Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors, 107 (2003) 29

Nitrogen balance
Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3

Nitrogen supplementation
Ruminal degradability and in vitro intestinal digestibility of sunflower meal and in vitro digestibility of olive by-products supplemented with urea or sunflower meal. Comparison between goats and sheep, 110 (2003) 3

Non-ruminant
A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95

North Ronaldsay sheep
A qualitative and quantitative evaluation of the seaweed diet of North Ronaldsay sheep, 105 (2003) 21

NRC
A new method to estimate microbial nitrogen escape from the rumen of the dairy cow, 101 (2002) 201

NSP
The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility, 108 (2003) 71

Nutrient digestibilities
Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets, 103 (2003) 1

Nutrient utilization
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87
Influence of dietary protected lipids on intake and digestibility of straw based diets in Deccani sheep, 106 (2003) 29
Response of gravid does to partial replacement of dietary protein by a leaf meal mixture of *Leucaena leucocephala*, *Morus alba* and *Azadirachta indica*, 109 (2003) 171

Nutrition
The effect of dietary supplementation with trivalent chromium on production performance of laying hens and the chromium content in the yolk, 106 (2003) 149
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Nutritional value
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71

Nutritive value
Nutritive value of whole crop wheat silage harvested at three stages of maturity, 103 (2003) 85
Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass (*Chloris gayana* cv. Callide), 103 (2003) 113
Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds, 103 (2003) 163
Potential nutritional assessment of dwarf elephant grass (*Pennisetum purpureum* Schum. cv. Mott) by chemical composition, digestion and net portal flux of oxygen in cattle, 104 (2003) 29
Prediction of chemical composition, nutritive value and ingredient composition of European compound feeds for rabbits by near infrared reflectance spectroscopy (NIRS), 104 (2003) 153
The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review, 106 (2003) 3
Comparison among methods of nutritional evaluation of dietary ingredients for rabbits, 109 (2003) 195

Nylon capsule
Whole tract and post ruminal digestibility determined by in situ ruminal, intestinal mobile nylon bag and whole tract nylon capsule methods, 106 (2003) 59

O

Oats
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71

Oats pasture
Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29

Oils
Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163

Oilseed meal
Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43

Oligosaccharides
Effects of dietary oligosaccharides on microbial diversity and fructo-oligosaccharide degrading bacteria in faeces of piglets post-weaning, 109 (2003) 133

Olive by-products
Ruminal degradability and in vitro intestinal digestibility of sunflower meal and in vitro

digestibility of olive by-products supplemented with urea or sunflower meal. Comparison between goats and sheep, 110 (2003) 3

Olive cake
Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves, 107 (2003) 61

Olive leaves
Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves, 107 (2003) 61

Omasal canal
Effects of several protein supplements on flow of soluble non-ammonia nitrogen from the forestomach and milk production in dairy cows, 102 (2002) 15

Orchardgrass
The effect of different moisture contents at ensiling on silo degradation and digestibility of structural carbohydrates of orchardgrass, 101 (2002) 127

Organic matter
The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111

Oven drying
Effect of preparation method on composition and NIR spectra of forage samples, 107 (2003) 191

Overdose
The effect of dietary supplementation with trivalent chromium on production performance of laying hens and the chromium content in the yolk, 106 (2003) 149

Oxidants
Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass (*Chloris gayana* cv. Callide), 103 (2003) 113

Oxygen portal flux
Potential nutritional assessment of dwarf elephant grass (*Pennisetum purpureum* Schum. cv. Mott) by chemical composition, digestion and net portal flux of oxygen in cattle, 104 (2003) 29

P

Panicum maximum
Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71

Particle size
Postprandial changes in particle associated ruminal bacteria in sheep fed ammoniated rice straw, 102 (2002) 207

Passage rate
Use of animal and dietary information to predict rumen turnover, 106 (2003) 95

Pasture
Selection of forage species by dairy cattle on complex Sicilian pasture, 105 (2003) 205

Pasture composition
Effect of preparation method on composition and NIR spectra of forage samples, 107 (2003) 191

Pectin
Identification of lucerne stem cell wall traits related to in vitro neutral detergent fibre digestibility, 110 (2003) 17

PEG-6000
Effect of polyethylene glycol-6000 on nutrient intake, digestion and growth of kids browsing *Prosopis cineraria*, 101 (2002) 45

Pelleting
Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155

Pepsin-cellulase
Prediction of the digestibility of the primary growth of grass silages harvested at different stages of maturity from chemical composition and pepsin-cellulase solubility, 103 (2003) 97

Pepsin-cellulase solubility
Prediction of the digestibility of primary growth and regrowth grass silages from chemical composition, pepsin-cellulase solubility and indigestible cell wall content, 110 (2003) 61

Pepsin–pancreatin
The nutritive value of concentrate feedstuffs for ruminant animals. Part III. Small intestinal digestibility as measured by in vitro or mobile bag techniques, 110 (2003) 145

Peptides
Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3

Performance
Brassica by-products in diets of rainbow trout (*Oncorhynchus mykiss*) and their effects on performance, body composition, thyroid status and liver histology, 101 (2002) 171
Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39
Effect of different choice feeding methods based on whole wheat on performance of male broiler chickens, 106 (2003) 131
Effects of copper source and concentration on copper status and immune function in growing and finishing steers, 110 (2003) 31
The effect of site of starch digestion on performance of broiler chickens, 110 (2003) 175
Effects of inclusion with blue lupins (*Lupinus angustifolius*) in broiler diets and enzyme supplementation on production performance, digestibility and dietary AME content, 110 (2003) 185

pH levels
Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture, 102 (2002) 137

Phenolics
Ameliorating the toxic effects of *Acacia angustissima* with polyethylene glycol in rats, 106 (2003) 165

Phosphorus
Effects of phytase on apparent digestibility of organic phosphorus and nutrients in maize–soya bean meal based diets for sows, 104 (2003) 133
Additivity of the effect of cereal and microbial phytases on apparent phosphorus absorption in growing pigs fed diets with marginal P supply, 104 (2003) 143
Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43

Phosphorus availability
Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155

Phosphorus excretion
Influence of feeding various phosphorus sources on apparent digestibility of phosphorus in dairy cows, 109 (2003) 95

Phytase
Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155
Effects of phytase on apparent digestibility of organic phosphorus and nutrients in maize–soya bean meal based diets for sows, 104 (2003) 133
The influence of dietary microbial phytase and copper on copper status in growing pigs, 106 (2003) 139
Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43
The effect of citric acid and microbial phytase on mineral utilization in broiler chicks, 110 (2003) 201

Phytate
Interactions between dietary phosphorus level, phytase supplementation and pelleting on performance and bone parameters of broilers fed high levels of rice bran, 103 (2003) 155

Phytate degradation
Post-ruminal phytate degradation in sheep, 101 (2002) 55

Pig
Effect of *Leucaena leucocephala* leaf meal treated with acetic acid or sodium hydroxide on apparent digestibility and nitrogen retention in pig diets, 101 (2002) 151
Microbial caecal fermentation in Iberic or Landrace pigs given acorn/sorghum or maize diets estimated in vitro using the gas production technique, 102 (2002) 93
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123
Additivity of the effect of cereal and microbial phytases on apparent phosphorus absorption in

growing pigs fed diets with marginal P supply, 104 (2003) 143
The influence of dietary microbial phytase and copper on copper status in growing pigs, 106 (2003) 139
Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129

Pig diets
The influence of fermented putak on diet digestibility and growth performance of weanling pigs, 102 (2002) 217

Pig feeding
Endogenous lipolysis in feedstuffs and compound feeds for pigs: effects of storage time and conditions and lipase and/or emulsifier addition, 102 (2002) 53

Piglet
Influence of naked barley cultivar with normal, amylose-rich or amylopectin-rich starch and enzyme supplementation on digestibility and piglet performance, 104 (2003) 121
The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119
Effects of dietary oligosaccharides on microbial diversity and fructo-oligosaccharide degrading bacteria in faeces of piglets post-weaning, 109 (2003) 133
Fat nutrition and metabolism in piglets: a review, 109 (2003) 151

Pithecellobium saman
Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79

Plane of nutrition
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87

Plant extract
Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter, 101 (2002) 183

Plant proteins
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15

Plasma minerals
Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29

Polyamines
Levels of biogenic amines in maize silages, 102 (2002) 197

Post-larvae
Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169

Postprandial change
Postprandial changes in particle associated ruminal bacteria in sheep fed ammoniated rice straw, 102 (2002) 207

Potato starch
Ileal and total tract digestibility, and protein and fat balance in pigs fed rice with addition of potato starch, sugar beet pulp or wheat bran, 102 (2002) 125

Predictions
The effect of freezing and thawing on grass silage quality predictions based on near infrared reflectance spectroscopy, 102 (2002) 151

Pregnant sows
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Processing
Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets, 103 (2003) 1
Effects of prepress-solvent extraction on the nutritional value of canola meal for broiler chickens, 104 (2003) 111
In vitro gas production as a method to compare fermentation characteristics of steam-flaked corn, 105 (2003) 109

The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175
Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants, 107 (2003) 45

Prosopis cineraria
Effect of polyethylene glycol-6000 on nutrient intake, digestion and growth of kids browsing *Prosopis cineraria*, 101 (2002) 45

Protected lipid
Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1

Protein
Effect of a wide range in the ratio of supplemental rumen degradable protein to starch on utilization of low-quality, grass hay by beef steers, 105 (2003) 5
Whole tract and post ruminal digestibility determined by in situ ruminal, intestinal mobile nylon bag and whole tract nylon capsule methods, 106 (2003) 59

Protein and energy evaluation
Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants, 107 (2003) 45

Protein degradation
Rumen digesta kinetics in cold exposed prolific sheep: impact on protein evaluation, 101 (2002) 17

Protein digestibility
Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*), 107 (2003) 117

Protein digestion
Use of sunflower meal or fish meal as protein supplement for high quality fresh forage diets: ruminal fermentation, microbial protein synthesis and sites of digestion, 101 (2002) 61

Protein evaluation
Rumen degradation characteristics of nutrients in maize silages and evaluation of laboratory measurements and NIRS as predictors, 101 (2002) 73
Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors, 107 (2003) 29

Protein level
Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169

Protein solubility
The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175
Effect of preparation method on composition and NIR spectra of forage samples, 107 (2003) 191

Protein supplements
Effects of several protein supplements on flow of soluble non-ammonia nitrogen from the forestomach and milk production in dairy cows, 102 (2002) 15
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225

Protein synthesis
Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter, 101 (2002) 183
Rice straw degradation and biomass synthesis by rumen micro-organisms in continuous culture in response to ammonia treatment and legume extract supplementation, 105 (2003) 95

Protozoa
Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163
Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79

Purine excretion
Purine excretion and estimated microbial protein yield in sheep fed diets differing in protein degradability, 105 (2003) 123

Putak (*Corypha elata* robx)
The influence of fermented putak on diet digestibility and growth performance of weanling pigs, 102 (2002) 217

Q

Quebracho tannins extract
Effect of different doses of quebracho tannins extract on rumen fermentation in ewes, 109 (2003) 65

R

Rabbits
Prediction of chemical composition, nutritive value and ingredient composition of European compound feeds for rabbits by near infrared reflectance spectroscopy (NIRS), 104 (2003) 153
Comparison among methods of nutritional evaluation of dietary ingredients for rabbits, 109 (2003) 195

Rainbow trout
Brassica by-products in diets of rainbow trout (*Oncorhynchus mykiss*) and their effects on performance, body composition, thyroid status and liver histology, 101 (2002) 171

Rainfall event
Changes in nutritive value of tall fescue hay as affected by natural rainfall and moisture concentration at baling, 109 (2003) 47

Ramlic Lamb
Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35

Rapeseed cake
The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175

Rapeseed meal
Effects of prepress-solvent extraction on the nutritional value of canola meal for broiler chickens, 104 (2003) 111
The protein value of differently processed rapeseed solvent meal and cake assessed by in vitro methods and in tests with rats, 106 (2003) 175

Ration
Biological availability of calcium in broiler chicks from different calcium sources found in Nigeria, 104 (2003) 209

Rats
Ameliorating the toxic effects of *Acacia angustissima* with polyethylene glycol in rats, 106 (2003) 165
The enzyme hydrolysed protein method for the determination of endogenous ileal nitrogen and amino acid flows—a modification, 108 (2003) 207

Recovery index
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Reducing sugar
In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 87
In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 105

Regrowth
Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (*Lolium perenne* L.), affected by cultivar and regrowth interval, 108 (2003) 191

Reproductive performance
Usefulness of ionophores for lactating dairy cows: a review, 106 (2003) 39
Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters, 108 (2003) 25
Response of gravid does to partial replacement of dietary protein by a leaf meal mixture of *Leucaena leucocephala*, *Morus alba* and *Azadirachta indica*, 109 (2003) 171

Requirement
Requirement of calcium for commercial broilers and white leghorn layers at low dietary phosphorus levels, 106 (2003) 199

Restriction period
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Rhodes grass
Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass (*Chloris gayana* cv. Callide), 103 (2003) 113

Rice
Ileal and total tract digestibility, and protein and fat balance in pigs fed rice with addition of potato starch, sugar beet pulp or wheat bran, 102 (2002) 125
Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129
The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61

Rice straw
FIBEX-treated rice straw as a feed ingredient for lactating dairy cows, 103 (2003) 41
Rice straw degradation and biomass synthesis by rumen micro-organisms in continuous culture in response to ammonia treatment and legume extract supplementation, 105 (2003) 95
The effect of agronomic improvement and urea treatment on the nutritional value of Malaysian rice straw varieties, 108 (2003) 133

Roasting
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15

Roughage
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Roughage:concentrate ratio
Nutrient utilization and growth performance of defaunated and faunated lambs maintained on complete diets containing varying proportion of roughage and concentrate, 101 (2002) 87

Rumen
Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter, 101 (2002) 183
A new method to estimate microbial nitrogen escape from the rumen of the dairy cow, 101 (2002) 201
Effects of several protein supplements on flow of soluble non-ammonia nitrogen from the forestomach and milk production in dairy cows, 102 (2002) 15
Effects of urea infused into the rumen on liquid- and particle-associated fibrolytic enzyme activities in steers fed low quality grass hay, 104 (2003) 13
Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo, 104 (2003) 41
Effect of increasing availability of water-soluble carbohydrates on in vitro rumen fermentation, 104 (2003) 59
Rice straw degradation and biomass synthesis by rumen micro-organisms in continuous culture in response to ammonia treatment and legume extract supplementation, 105 (2003) 95
The fermentation of soybean meal by rumen microbes in vitro reveals different kinetic features for the inactivation and the degradation of trypsin inhibitor protein, 106 (2003) 189

Rumen content
Use of animal and dietary information to predict rumen turnover, 106 (2003) 95

Rumen degradability
Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves, 107 (2003) 61
Rumen degradability characteristics of xylose treated canola and soybean meals, 107 (2003) 211

Rumen degradable N
Purine excretion and estimated microbial protein yield in sheep fed diets differing in protein degradability, 105 (2003) 123

Rumen degradation
Rumen degradation characteristics of nutrients in maize silages and evaluation of laboratory measurements and NIRS as predictors, 101 (2002) 73
Quantitative review of in situ starch degradation in the rumen, 106 (2003) 81
Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors, 107 (2003) 29

In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 87
In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition, 107 (2003) 105
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data, 108 (2003) 223

Rumen digestion
Rumen digesta kinetics in cold exposed prolific sheep: impact on protein evaluation, 101 (2002) 17

Rumen environment
Relationships between patterns of rumen fermentation measured in sheep and in situ degradability and the in vitro gas production profile of the diet, 101 (2002) 31

Rumen fermentation
Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets, 103 (2003) 1

Rumen parameters
Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29
Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35

Rumen Simulation Technique
Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179

Rumenic acid
Grazing allowance after the morning or afternoon milking for lactating cows fed a total mixed ration (TMR) enhances *trans*11-18:1 and *cis*9,-*trans*11-18:2 (rumenic acid) in milk fat to different extents, 109 (2003) 105

Ruminal bacteria
Postprandial changes in particle associated ruminal bacteria in sheep fed ammoniated rice straw, 102 (2002) 207

Ruminal fermentation
Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163

Ruminal turnover
Use of animal and dietary information to predict rumen turnover, 106 (2003) 95

Ruminant
Degradation in the rumen and nutritional value of lupin (*Lupinus albus* L.) seed proteins effect of extrusion, 105 (2003) 55
Effect of specific weight on the metabolizable energy content of four cultivars of wheat grain in ewes, 105 (2003) 215
Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants, 107 (2003) 45
Merit of *Gleditsia triacanthos* pods in animal feeding. Chemical composition and nutritional evaluation, 107 (2003) 151
Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique, 108 (2003) 43

Rusitec
Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101
Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179

Rye
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135

S

Saccharomyces cerevisae
The influence of fermented putak on diet digestibility and growth performance of weanling pigs, 102 (2002) 217

Saccharomyces cerevisiae
Effects of a *Saccharomyces cerevisiae* feed supplement on *Escherichia coli* O157:H7 in ruminal fluid in vitro, 104 (2003) 179

Salmonella
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123

Samples
The nutritive value of concentrate feedstuffs for ruminant animals. Part II: In situ ruminal degradability of crude protein, 110 (2003) 131

Sapindus saponaria
Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79

Saponins
Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101
Evaluation of several potential bioactive agents for reducing protozoal activity in vitro, 105 (2003) 163
Saponin rich tropical fruits affect fermentation and methanogenesis in faunated and defaunated rumen fluid, 109 (2003) 79

SCFA profile
Relationships between patterns of rumen fermentation measured in sheep and in situ degradability and the in vitro gas production profile of the diet, 101 (2002) 31

Seaweed
A qualitative and quantitative evaluation of the seaweed diet of North Ronaldsay sheep, 105 (2003) 21

Selenium
Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows, 107 (2003) 15

Shearing
Rumen digesta kinetics in cold exposed prolific sheep: impact on protein evaluation, 101 (2002) 17

Sheep
Post-ruminal phytate degradation in sheep, 101 (2002) 55
Effect of specific weight on the metabolizable energy content of four cultivars of wheat grain in ewes, 105 (2003) 215
Use of animal and dietary information to predict rumen turnover, 106 (2003) 95
Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1
Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition, 108 (2003) 215
Effect of different doses of quebracho tannins extract on rumen fermentation in ewes, 109 (2003) 65
Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95

Sheep feeding
Evaluation of the use of *Buddleia skutchii* tree leaves and Kikuyu (*Pennisetum clandestinum*) grass hay in sheep feeding, 106 (2003) 209

Short-chain fatty acids (SCFA)
Effect of type and level of fibre on gastric microbial activity and short-chain fatty acid concentrations in gestating sows, 104 (2003) 95
Carbon balances for in vitro digestion and fermentation of potential roughages for pregnant sows, 110 (2003) 159

Shorts
Chick adaptation to diets based on milling fractions of rye varying in arabinoxylans content, 101 (2002) 135

Shrubs
In vitro fermentation kinetics of some halophyte shrubs sampled at three stages of maturity, 104 (2003) 215

Silage
Nutritive value of whole crop wheat silage harvested at three stages of maturity, 103 (2003) 85
A laboratory evaluation of comfrey (*Symphytum officinale* L.) as a forage crop for ensilage, 104 (2003) 227
Ensiling forage garland (*Chrysanthemum coronarium* L.) at two stages of maturity and at different wilting levels, 108 (2003) 181
Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (*Lolium perenne*

L.), affected by cultivar and regrowth interval, 108 (2003) 191

Small intestinal digestion
The nutritive value of concentrate feedstuffs for ruminant animals. Part III. Small intestinal digestibility as measured by in vitro or mobile bag techniques, 110 (2003) 145

Sodium hydroxide
Effect of *Leucaena leucocephala* leaf meal treated with acetic acid or sodium hydroxide on apparent digestibility and nitrogen retention in pig diets, 101 (2002) 151

Soluble non-ammonia nitrogen
Effects of several protein supplements on flow of soluble non-ammonia nitrogen from the forest-omach and milk production in dairy cows, 102 (2002) 15

Sorghum
The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods, 108 (2003) 61

Sources
The nutritive value of concentrate feedstuffs for ruminant animals. Part I: In situ ruminal degradability of dry matter and organic matter, 110 (2003) 111
The nutritive value of concentrate feedstuffs for ruminant animals. Part III. Small intestinal digestibility as measured by in vitro or mobile bag techniques, 110 (2003) 145

Sows
Effects of phytase on apparent digestibility of organic phosphorus and nutrients in maize–soya bean meal based diets for sows, 104 (2003) 133

Soy hulls
Soybean hulls as a replacement of forage neutral detergent fiber in total mixed rations of lactating cows, 106 (2003) 21

Soyabean meal
Evaluation of soyabean meal as a protein source in canine foods, 109 (2003) 121

Soyabeans
The fermentation of soybean meal by rumen microbes in vitro reveals different kinetic features for the inactivation and the degradation of trypsin inhibitor protein, 106 (2003) 189
Evaluation of soyabean meal as a protein source in canine foods, 109 (2003) 121

Soybean cake
Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19

Soybean hulls
Development and evaluation of a pelleted feedstuff containing condensed corn steep liquor and raw soybean hulls for dairy cattle diets, 107 (2003) 75

Soybean meal
Rumen degradability characteristics of xylose treated canola and soybean meals, 107 (2003) 211
Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition, 108 (2003) 215

Soybean oil
Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows, 103 (2003) 63

Specific weight
Effect of specific weight on the metabolizable energy content of four cultivars of wheat grain in ewes, 105 (2003) 215

Starch
Influence of prolonged adaptation periods on starch degradation in the digestive tract of dairy cows, 103 (2003) 15
Effect of a wide range in the ratio of supplemental rumen degradable protein to starch on utilization of low-quality, grass hay by beef steers, 105 (2003) 5
Quantitative review of in situ starch degradation in the rumen, 106 (2003) 81
Estimating silage energy value and milk yield to rank corn hybrids, 109 (2003) 1

Starch digestion
The effect of site of starch digestion on performance of broiler chickens, 110 (2003) 175

Steam-flaked corn
In vitro gas production as a method to compare fermentation characteristics of steam-flaked corn, 105 (2003) 109

Steers
Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3
Effects of copper source and concentration on copper status and immune function in growing and finishing steers, 110 (2003) 31

Stochastic feed formulation
Stochastic true digestible amino acid values, 102 (2002) 225

Straw based diets
Influence of dietary protected lipids on intake and digestibility of straw based diets in Deccani sheep, 106 (2003) 29

Straw fermentation
Gas production from straw incubated in vitro with different levels of purified carbohydrates, 101 (2002) 1

Structural carbohydrates
The effect of different moisture contents at ensiling on silo degradation and digestibility of structural carbohydrates of orchardgrass, 101 (2002) 127

Sugar beet pulp
Ileal and total tract digestibility, and protein and fat balance in pigs fed rice with addition of potato starch, sugar beet pulp or wheat bran, 102 (2002) 125

Sulfur
Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35

Sunflower meal
Use of sunflower meal or fish meal as protein supplement for high quality fresh forage diets: ruminal fermentation, microbial protein synthesis and sites of digestion, 101 (2002) 61
Ruminal degradability and in vitro intestinal digestibility of sunflower meal and in vitro digestibility of olive by-products supplemented with urea or sunflower meal. Comparison between goats and sheep, 110 (2003) 3

Superoxide dismutase
Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

Supplementation
Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29
Influence of dietary protected lipids on intake and digestibility of straw based diets in Deccani sheep, 106 (2003) 29
Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements, 108 (2003) 15

Survival
Effect of dietary protein level on growth, survival, feed utilisation and body composition of hybrid *Clarias* catfish (*Clarias batrachus* × *Clarias gariepinus*), 104 (2003) 169

T

Tall fescue hay
Changes in nutritive value of tall fescue hay as affected by natural rainfall and moisture concentration at baling, 109 (2003) 47

Tannin
Effect of polyethylene glycol-6000 on nutrient intake, digestion and growth of kids browsing *Prosopis cineraria*, 101 (2002) 45
Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation, 101 (2002) 101
Ameliorating the toxic effects of *Acacia angustissima* with polyethylene glycol in rats, 106 (2003) 165
Effect of PEG and olive cake feed blocks supply on feed intake, digestion, and health of goats given kermes oak (*Quercus coccifera* L.) foliage, 110 (2003) 45

Tef straw
In vitro and in situ evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw, 108 (2003) 159

Teff straw
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Temperate forages
The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review, 106 (2003) 3

Temperature effect
Changes in the levels of histamine during processing and storage of fish meal, 107 (2003) 161

Thawing
The effect of freezing and thawing on grass silage quality predictions based on near infrared reflectance spectroscopy, 102 (2002) 151

The DVE/OEB system
Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants, 107 (2003) 45

Thiobarbituric acid reactive substance
Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

Three day supplementation
Effects of oilseed meal and grain-urea supplements fed infrequently on digestion in sheep. 1. Low quality grass hay diets, 110 (2003) 75
Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95

Thyroid hormones
Brassica by-products in diets of rainbow trout (*Oncorhynchus mykiss*) and their effects on performance, body composition, thyroid status and liver histology, 101 (2002) 171

***trans*11,*cis*15-18:2**
Grazing allowance after the morning or afternoon milking for lactating cows fed a total mixed ration (TMR) enhances *trans*11-18:1 and *cis*9,-*trans*11-18:2 (rumenic acid) in milk fat to different extents, 109 (2003) 105

Triticale
Use of triticale alone and in combination with wheat or maize: effects of diet type and enzyme supplementation on hen performance, egg quality, organ weights, intestinal viscosity and digestive system characteristics, 105 (2003) 149

Tropical forage
Potential nutritional assessment of dwarf elephant grass (*Pennisetum purpureum* Schum. cv. Mott) by chemical composition, digestion and net portal flux of oxygen in cattle, 104 (2003) 29

Trypsin inhibitor
The fermentation of soybean meal by rumen microbes in vitro reveals different kinetic features for the inactivation and the degradation of trypsin inhibitor protein, 106 (2003) 189

Tuna oil
Fish oil metabolism in ruminants. III. Transfer of $n-3$ polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk, 108 (2003) 1

Turkey
Nutritive value of house fly (*Musca domestica*) larvae as a feed supplement for turkey poults, 105 (2003) 225

U

Ultrafiltration
The enzyme hydrolysed protein method for the determination of endogenous ileal nitrogen and amino acid flows—a modification, 108 (2003) 207

Urea
Effects of urea, isolated soybean protein and blood meal on growing steers fed a corn-based diet, 102 (2002) 3
Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass (*Chloris gayana* cv. Callide), 103 (2003) 113
Effects of processing factors on in vitro ammonia release from cooked molasses blocks containing urea, 107 (2003) 173
Digestion and passage kinetics of fibre in mature dairy heifers maintained on poor quality hay as affected by the source and level of nitrogen supplementation, 109 (2003) 19
Effects of urea and sulfur on performance of faunate and defaunate Ramlic lambs, and some rumen and blood parameters, 109 (2003) 35

Urea infusion
Effects of urea infused into the rumen on liquid- and particle-associated fibrolytic enzyme activities in steers fed low quality grass hay, 104 (2003) 13

Urea molasses mineral block
Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51

Urea treatment
Changes in chemical composition and nutritive value of urea treated whole crop wheat during exposure to air, 102 (2002) 181
The effect of agronomic improvement and urea treatment on the nutritional value of Malaysian rice straw varieties, 108 (2003) 133

Urinary purine derivatives
Urinary purine derivative excretion in swamp buffaloes after duodenal purine base infusion, 104 (2003) 191

V

Vaccenic acid
Grazing allowance after the morning or afternoon milking for lactating cows fed a total mixed ration (TMR) enhances *trans*11-18:1 and *cis*9,-*trans*11-18:2 (rumenic acid) in milk fat to different extents, 109 (2003) 105

Valine
Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine, 103 (2003) 171

Vancomycin
The use of a model ileum to investigate the effects of novel and existing antimicrobials on indigenous porcine gastrointestinal microflora: using vancomycin as an example, 103 (2003) 123

Viscosity
Use of triticale alone and in combination with wheat or maize: effects of diet type and enzyme supplementation on hen performance, egg quality, organ weights, intestinal viscosity and digestive system characteristics, 105 (2003) 149

Vitamin B_{12}
Effect of low levels of dietary cobalt on apparent nutrient digestibility in Omani goats, 109 (2003) 209

Vitamin E
Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat, 107 (2003) 143

Volatile fatty acids
Effect of increasing availability of water-soluble carbohydrates on in vitro rumen fermentation, 104 (2003) 59

W

Water soluble carbohydrates
Effect of increasing availability of water-soluble carbohydrates on in vitro rumen fermentation, 104 (2003) 59
Ensiling forage garland (*Chrysanthemum coronarium* L.) at two stages of maturity and at different wilting levels, 108 (2003) 181

Weaning
Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning, 107 (2003) 129

Weed
Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds, 103 (2003) 163

Weight
Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls, 103 (2003) 29

Weight gain
Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay, 105 (2003) 29
Nutritive value of *Ficus religiosa* in West African dwarf goats, 105 (2003) 71

Wheat
Effect of chemical content and physical characteristics on nutritional value of wheat, barley and oats for poultry, 102 (2002) 71
Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking, heat treatment, phytase activity, pH and temperature, 103 (2003) 141
Effects of lactic acid fermentation on wheat and barley carbohydrate composition and production performance in the chicken, 105 (2003) 135
Use of triticale alone and in combination with wheat or maize: effects of diet type and enzyme supplementation on hen performance, egg quality, organ weights, intestinal viscosity and digestive system characteristics, 105 (2003) 149

Wheat bran
Ileal and total tract digestibility, and protein and fat balance in pigs fed rice with addition of potato starch, sugar beet pulp or wheat bran, 102 (2002) 125

Wheat grain
Effect of specific weight on the metabolizable energy content of four cultivars of wheat grain in ewes, 105 (2003) 215

Wheat straw
Effect of cold process monensin enriched urea molasses mineral blocks on performance of crossbred calves fed a wheat straw based diet, 103 (2003) 51

Whole crop wheat
Changes in chemical composition and nutritive value of urea treated whole crop wheat during exposure to air, 102 (2002) 181
Nutritive value of whole crop wheat silage harvested at three stages of maturity, 103 (2003) 85

Whole wheat
Effect of different choice feeding methods based on whole wheat on performance of male broiler chickens, 106 (2003) 131

Willow (*Salix* sp.)
Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions, 104 (2003) 1

Wilting
Ensiling forage garland (*Chrysanthemum coronarium* L.) at two stages of maturity and at different wilting levels, 108 (2003) 181

Wool
Effects of oilseed meal and grain-urea supplements fed infrequently on digestion in sheep. 1. Low quality grass hay diets, 110 (2003) 75
Effects of oilseed meals and grain–urea supplements fed infrequently on digestion in sheep. 2. Cereal straw diets, 110 (2003) 95

X

Xylanase
The effect of genotype and dietary fibre level on the caecal bacterial enzyme activity of young piglets: digestive consequences, 106 (2003) 119

Xylose
Rumen degradability characteristics of xylose treated canola and soybean meals, 107 (2003) 211

Y

Yeast
Effects of dietary oligosaccharides on microbial diversity and fructo-oligosaccharide degrading bacteria in faeces of piglets post-weaning, 109 (2003) 133

Yield
Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds, 103 (2003) 163

Young animal
A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals, 108 (2003) 95

Z

Zinc
Relative bioavailability of organic zinc sources based on tissue zinc and metallothionein in chicks fed conventional dietary zinc concentrations, 101 (2002) 161

Vol. 103
Contents

2003